

THE S U R F

AB INFLATABLES | RIB'S



AB Inflatables®, a division of AB Marine Group, is world renowned as the premier designer and manufacturer of inflatable boats for both the leisure and professional markets. AB Inflatables® has a long established reputation for innovative design, superior construction, and outstanding customer satisfaction.

Our boats have earned their status as the world's finest inflatables. AB is one of only a few RIB manufacturers to have CE, NMMA as well as ISO 9001 certification. At AB, we insist on an unwavering attention to detail. We travel the world to procure the finest materials available. We painstakingly hand-craft each boat, to ensure that even the smallest details are considered. The result is a full line of inflatable boats, designed and built to provide our customers with the exceptional quality they deserve, and have come to expect from AB.

We are committed to meeting the ever changing needs of our customers. It is this commitment that drives our desire for constant innovation. AB Inflatables® has never shied away from the hard work of refining our existing models, designing new inflatables, or retooling our workshop to ensure that AB boats are truly the most celebrated watercraft on the market. This un-equaled pursuit of perfection has long distinguished AB from the competition.

With five decades of proven expertise, AB Inflatables® has earned its reputation for excellence. Our unparalleled craftsmanship, relentless innovation, and commitment to customer service have made the entire AB line the most prestigious and sought after inflatables on the market. Contact one of our dealers today to discover for yourself why AB Inflatables® are the choice of discriminating boaters worldwide.

years of innovation and
craftsmanship





LEISURE



Why AB?

There are countless reasons for choosing an AB Inflatable as your tender, but there are just as many reasons for choosing an AB Inflatable as your primary boat.

Experience

Born in 1969, AB Inflatables have over 50 years of non-stop production. Today, we are proud to say that our products have touched almost every corner of the globe and have earned the trust of thousands of customers.

Design

Our superior rigid inflatable boats (RIBs), manufactured with the highest quality materials and attention to detail, are recognized and admired worldwide. Designed for recreational use, commercial operations and jet segments, they are available in over than 80 models.

Every AB model has a unique forward hull design that creates a raised bow and enhances performance by enabling easier planning with less horsepower. This allows the boat to cut through wakes and chop, virtually eliminating spray. The result is a smoother, more stable, and drier ride than any other inflatable boat on the market.

Quality

Audits

Our commitment to delivering the highest quality products to our customers extends to submitting all our manufacturing processes to rigorous evaluations by third-party auditors. This means building under the strict surveillance of our quality certifications-NMMA for the USA, CE for Europe and ISO 9001 quality standards.

Traceability

We offer the peace of mind that comes with creating each boat with a unique history report, documenting when it was made, and what materials were used in the process. These records have proven valuable to

us to improve our production procedures along the different stages. This quality-control system, which is just one way in which we fulfill our promise to continuous learning, has enabled us to make significant improvements to our boats throughout our more than 50 years in business.

Innovation and Craftsmanship

As part of our unshakable dedication to produce superior inflatable boats, we handcraft 100% of our boats in house, including hull, tubes, rigging and inboard engine installations. Our devotion to each boat ensures that even the smallest details are handled with care. The result is a full line of inflatable boats designed and built to please our customers with the exceptional quality they have come to expect from AB.

Sales & Service Network

Our vast network of representatives worldwide provides quick responses with a personal touch. We select companies known for their technical expertise, commitment to quality work and superior customer service. Customers will be backed up around the world with a high sense of collaboration through our network partners.

Portfolio

AB Inflatables offers the widest portfolio in the RIB (Rigid Inflatable Boat) industry worldwide. Our portfolio includes open aluminum and console RIBs, open Fiberglass and console RIBs (ranging from 7.5ft / 2.39m up to 28ft / 8.33m), as well as a fast-growing jet tender line. Each boat is manufactured from beginning to end in our factory, including tubes, hulls, and electrical installations.

Every AB distributor counts on more than 80 different models to offer, along with the option of having each boat completely customized. This allows prospects to play with tubes, upholstery and gelcoat colors, as well as with seating, consoles, and layouts on our aluminum and fiberglass segment.

Materials

We build each AB rigid inflatable boat with exceptional standards using only the finest materials. We travel the world to procure superior components, working with the most reliable and respected suppliers in the marine industry. The result is an inflatable boat of unmatched craftsmanship and quality equal to that found on the most prestigious yachts.

All of our console models feature steering and control systems provided by SeaStar Solutions®, the marine industry's leading manufacturer of such products.



Our RDS fuel tanks are NMMA certified ISO 9001 and ISO 10088. This company has over 50 years building quality aluminum products and their tanks are built in accordance with ABYC & NMMA regulations.



Non-skid decks on our rigid inflatable boats are manufactured by SeaDek. These decks are made from soft, durable, UV resistant EVA material specifically designed for the marine environment.



Quality components from Attwood, with the expertise that comes from more than 120 years in the marine industry, ensure reliability and safety in each of our inflatable boats.



Our boat's components come from ABYC member Pacer Group, which has more than 40 years of experience providing materials for the most prestigious yacht brands.



We are supplied by industry leader Blue Sea Systems who meet ABYC, NMMA and are ISO 9001 certified.



Our tubes feature ORCA engineered fabrics, manufactured by Pennel & Flipo. They deliver industry-leading weather, chemical and abrasion resistance, and are ISO 9001 BV Certified (ISO 6185, ISO 15372). **Even the smaller AB tenders are made with 820 Orca® CSM Fabric which results in extra protection and, with it, greater resistance and durability. No lower grade than 820 Orca® CSM Fabric is used on any AB Inflatable boat.**



Dedication to quality in our boats extends to stainless steel bow and stern eyes from EPCO, a trusted NMMA member company that is ISO 9001 registered.



LED navigation and anchor lights on our inflatable boats are manufactured by Perko, an ABYC charter member whose products are USCG and ISO 9001 certified.



Each of our aluminum inflatable boats feature Axalta coatings (previously known as DuPont Performance Coatings). An industry mainstay for more than 150 years and with customers in more than 130 countries. The company holds ISO 9001/ISO TS 16949 certifications.



Our dinghy chaps and covers are made with Sunbrella, the most advanced fabric on the market - breathable, water- and UV-resistant, and eco-friendly.



Safety

Product safety is of the utmost importance for any boat builder. That is why we partner with the marine industry's most trusted and respected suppliers, ensuring only high-quality components go into every AB boat. We further carry out our commitment to safety by continuously auditing our processes to ensure compliance with all certification requirements.

Tube Tests

Several tests are applied to each and every one of the baffles on our tubes in order to guarantee the highest quality seams. As a first test, baffles of the same tube are deflated between inflated baffles to check if the air is passing from one to the other. A second test applies liquids on the surface of the tube in order to identify leaks to the outside. As a third and final inspection, each baffle is pressure tested to guarantee the same performance 24 hours after the initial measure. This procedure provides our quality tube manufacturing process a high percentage of consistency. All our tubes are 100% built in house with Orca® CSM Fabric from Pennel & Flippo.

Electrical and Fuel Systems

AB's electrical and fuel systems are designed to the standards of the American Boat & Yacht Council (ABYC), the marine industry's premier global standards organization and a leader in technical education and technician certification.

NMMA Certified Fuel Tanks

All AB console models use fuel tanks that are pressure-tested in accordance with ABYC standards, NMMA regulations, and meet ISO 10088 specifications.

Environment

Chrome-Free Advanced Technology Pretreatment

All of our aluminum inflatable boats are built using a cutting-edge, powder-coating pretreatment process that is chrome-free. This new eco-friendly technology maximizes corrosion protection and ensures superior coating adherence to the aluminum hull.

Emissions

Our commitment to caring for our planet extends to building our inflatable boats with NMMA certified fuel systems. They are designed, based on country-specific regulations, to minimize evaporative emissions.

Aluminum RIBs

Our aluminum hull RIBs are lightweight, enabling the use of lower-horsepower engines without sacrificing performance. This ultimately means less fuel is being used, resulting in lower emissions. Aluminum is also a highly recyclable material, allowing us to sustainably avoid using up natural resources and unnecessary energy during the production process of this material.



ABJET®

Above & beyond the standard

ABJET 390 XP



- **Innovation, performance, comfort and style.**
- **Powered by BRP Rotax® Engine (OEM).**
- **100% Built in house: including inflatable tubes, hull and deck, electrical and rigging installations.**
- **Innovative design which maximizes weight distribution.**
- **Optimized overall person capacity with two people at pilot seat.**
- **Ergonomic Side Mounted Throttle for better maneuverability and control.**
- **Flat floors on deck free of obstacles and convenient swim platform.**
- **International Service Coverage and Warranty.**

ABJET 290 S



ABJET 390 XP

STANDARD FEATURES

ROTAX ACE 90 ECT - 90HP (290 - 350)
ROTAX ACE 170 ECT - 170HP / WITH REDUCTION 120HP (380 - 430)
POWER REDUCTION KEY (380 - 430)
12V DC SOCKET
USB PORT
INTEGRATED FUEL TANK
DIAMOND NON-SKID DECK
REAR SEAT WITH AMPLE STORAGE (290, 330 & 380)
DUAL REAR SEAT (350, 390, 430 & 465)
FULLY UPHOLSTERED SEATING-SPRADLING®
INTEGRATED BOW LOCKER (EXCEPT 290)
EASY PORT & STARBOARD ACCESS
STAINLESS STEEL PORT/STARBOARD HAND RAILS
AMPLE ENGINE ACCESS
STAINLESS STEEL BOW EYE
FIBERGLASS BOW STEP WITH CUSHION & STAINLESS STEEL FOLDABLE CLEAT (380 - 465)
COOLER / STORAGE WITH DRAIN (290, 330 & 380)
BUILT-IN COOLER / STORAGE WITH DRAIN (390, 430 & 465)
2 STERN STAINLESS STEEL FOLDABLE CLEATS
3 STAINLESS STEEL DAVIT LIFTING POINTS (4 FOR 330 & 380)
STAINLESS STEEL SKI-EYE & STERN HAND RAIL (290, 330 & 380)
INTEGRATED LATERAL STAINLESS STEEL REAR RAILS (430 & 465)
STAINLESS STEEL SKI-POLE (350, 390, 430 & 465)
STAINLESS STEEL TRANSOM TIE DOWNS
BATTERY BOX
RECESSED CUP HOLDERS
WATER TIGHT ENGINE COMPARTMENT
ORCA (CSM) FABRIC
ORCA (CSM) FABRIC HANDLES ON TUBES

NON-CORROSIVE PUSH-PUSH INFLATION VALVES
SINGLE SOLID RUB RAIL (290 - 390 XP)
DOUBLE SOLID RUB RAIL (430 - 465)
SELF BAILING DECK SYSTEM WITH NON-RETURN VALVES
STAINLESS STEEL DRAIN PLUGS
AUTOMATIC FIRE EXTINGUISHER
SAFETY LANYARD SWITCH
AUTOMATIC 500GPH BILGE PUMP
REMOVABLE POLE LED NAVIGATION LIGHT (290 - 350)
STAINLESS STEEL LED NAVIGATION LIGHT (380 - 465)
REMOVABLE LED ANCHOR LIGHT
BATTERY SWITCH
MAINTENANCE - FREE BATTERY
ENGINE COMPARTMENT IN-LINE BLOWER
SPORT WHEEL
STEERING SYSTEM
SPORT ADJUSTABLE STEERING WHEEL (350, 390, 430 & 465)
COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS
CONTROL PANEL (INCLUDES FUEL GAUGE)
SHIFT CONTROL (ELECTRONIC FOR 465)
STAINLESS STEEL GAS SPRINGS FOR ENGINE COMPARTMENT
UNDER PLATFORM STAINLESS STEEL SLIDING LADDER
HAND PUMP & MAINTENANCE KIT
OWNER'S MANUAL
CATALYTIC EXHAUST SYSTEM
MUFFLER & SILENCER
REMOVABLE LATERAL SEAT (350 & 390)
INR-INTELLIGENT NEUTRAL AND REVERSE (465)



OPTIONAL FEATURES

SUNBED (430 & 465)
SYNTHETIC TEAK FLOOR
BOAT COVER
TELESCOPIC PADDLE
STEREO SYSTEM & COMPASS
GPS CHART PLOTTER / SOUNDER
STAINLESS STEEL TIE DOWNS
QUICK RELEASE WHEEL
BIMINI KIT
STAINLESS STEEL ANCHOR
NAME ON UPHOLSTERY
LED COURTESY LIGHTS
BATTERY CHARGER
VHF & ANTENNA
FIBERGLASS BOW STEP WITH & STAINLESS STEEL FOLDABLE CLEAT (290)
FIBERGLASS BOW STEP WITH CUSHION & STAINLESS STEEL FOLDABLE CLEAT (330-350)
SPORT ADJUSTABLE STEERING WHEEL (290, 330 & 380)
COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

ABJET® JET TENDERS

The definition of innovation, performance, comfort and style.

Our ABJET® line seamlessly marries performance with luxurious style, providing comfort, safety and the unparalleled quality craftsmanship that AB Inflatables® is known for.

The unique and meticulously designed deck maximizes space while optimizing boat stability and promoting better weight distribution. The ABJET® deck is made from a single unit of fiberglass, meaning no added or moving parts, quiet navigation, easier maintenance and increased longevity.

The ABJET® is designed to comfortably seat two people at the pilot's seat on the smaller models offering the best person capacity in the segment. With a flat floor deck free of obstacles, an ergonomically positioned throttle a sport console with cupholders, a convenient platform with a stainless-steel sliding ladder, stainless-steel handles, rails and other features of the highest quality, our ABJET® Portfolio guarantees a seamless experience on the water.

Powered by BRP-Rotax® (OEM), the ABJET® guarantees peace of mind. In addition, owners are fully backed-up by a dedicated aftersales and engineering ABJET® team and an international service network.




Jet tenders



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.


ABJET 330 | MAIN FEATURES



ABJET 465XP




ABJET 430XP






ABJET 290 S




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,70m
INSIDE LENGTH	7' / 2,13m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	683lbs / 310kg
RECOMMENDED HP	N/A
MAXIMUM HP	90
SHAFT LENGTH	N/A

ABJET 330 S



OVERALL LENGTH	10' 10" / 3,30m
OVERALL BEAM	5' 8" / 1,72m
INSIDE LENGTH	8' 1" / 2,45m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	5
WEIGHT	728lbs / 330kg
RECOMMENDED HP	N/A
MAXIMUM HP	90
SHAFT LENGTH	N/A


ABJET 380 S



OVERALL LENGTH	12' 8" / 3,86m
OVERALL BEAM	5' 10" / 1,78m
INSIDE LENGTH	10' 2" / 3,10m
INSIDE BEAM	2' 11" / 0,89m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	6
WEIGHT	882lbs / 400kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A

ABJET 350 XP

REMOVABLE LATERAL SEAT




OVERALL LENGTH	11' 3.5" / 3,44m
OVERALL BEAM	5' 10" / 1,78m
INSIDE LENGTH	9' 8" / 2,95m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	5
WEIGHT	761lbs / 345kg
RECOMMENDED HP	N/A
MAXIMUM HP	90
SHAFT LENGTH	N/A




ABJET 390 XP

REMOVABLE LATERAL SEAT




OVERALL LENGTH	12' 9.5" / 3,90m
OVERALL BEAM	5' 11" / 1,80m
INSIDE LENGTH	10' 08" / 3,25m
INSIDE BEAM	3' / 0,91m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	7
WEIGHT	959lbs / 435kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A

ABJET 430 XP



OVERALL LENGTH	14' 3" / 4,35m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	12' / 3,64m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	1102lbs / 500kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A

ABJET 465 XP



OVERALL LENGTH	15' / 4,56m
OVERALL BEAM	6' 7" / 2,01m
INSIDE LENGTH	13' / 3,96m
INSIDE BEAM	3' 4" / 1,01m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	8
WEIGHT	1257lbs / 570kg
RECOMMENDED HP	N/A
MAXIMUM HP	170
SHAFT LENGTH	N/A

PICTURE A
REMOVABLE LATERAL SEAT
(350 & 390 XP).

PICTURE B
SUNBED SET (430 XP & 465 XP).

ABJET® 450

DIESEL


Engineered for greatness

- **Power, performance, comfort, and luxury.**
- **Powered by Yanmar Diesel Engine (OEM).**
- **100% Built in house: including inflatable tubes, hull and deck, electrical and rigging installations.**
- **Innovative design, unmatched ergonomics.**
- **International Service Coverage and Warranty**



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

ABJET 450 DIESEL | MAIN FEATURES



STANDARD FEATURES

- YANMAR DIESEL ENGINE 110HP TURBOCHARGED
- ENGINE SILENCER
- YANMAR YD42 DIGITAL GAUGE
- CASTOLDI JET PUMP
- INTEGRATED MARINE GRADE ALUMINUM FUEL TANK (19 GAL.)
- GPS RAYMARINE AXIOM 7 - (7" TOUCH SCREEN MULTIFUNCTION DISPLAY)
- DIAMOND NON-SKID DECK
- DUAL PILOT SEAT
- ANODIZED ALUMINUM RETRACTABLE ARMRESTS
- FULLY UPHOLSTERED SEATING-SPRADLING®
- REAR SEAT WITH AMPLE STORAGE
- INTEGRATED BOW LOCKER
- EASY PORT & STARBOARD ACCESS
- INTEGRATED STAINLESS STEEL STERN RAILS
- AMPLE ENGINE ACCESS
- STAINLESS STEEL BOW EYE
- FIBERGLASS BOW STEP WITH CUSHION, NAVIGATION LIGHTS AND SS CLEAT
- 2 STERN STAINLESS STEEL FOLDABLE CLEATS
- 3 STAINLESS STEEL DAVIT LIFTING POINTS
- STAINLESS STEEL REMOVABLE SKI-POLE & STERN HAND RAIL
- STAINLESS STEEL TRANSOM TIE DOWNS
- BATTERY BOX
- 3 RECESSED CUP HOLDERS
- WATER TIGHT ENGINE COMPARTMENT SEAL
- BOARDING POLE & SOCKETS (PORT AND STARBOARD)
- FOLDING HELM CONSOLE WITH WINDSHIELD
- 828 ORCA® (CSM) FABRIC
- NON-CORROSIVE PUSH-PUSH INATION VALVES
- DOUBLE SOLID RUB RAIL
- REINFORCED EXTERNAL SEAMS
- ORCA® (CSM) FABRIC HANDLES ON TUBES
- STAINLESS STEEL DRAIN PLUGS

- SELF BAILING DECK SYSTEM WITH NON-RETURN VALVES
- AUTOMATIC FIRE EXTINGUISHER
- SAFETY LANYARD SWITCH
- AUTOMATIC 750 GPH BILGE PUMP
- REMOVABLE POLE LED ANCHOR LIGHT
- BATTERY SWITCH
- MAINTENANCE-FREE BATTERY
- ENGINE COMPARTMENT IN-LINE BLOWER
- STYLISH ADJUSTABLE STEERING WHEEL
- QUICK RELEASE WHEEL
- HYDRAULIC STEERING SYSTEM
- COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS
- SINGLE LEVER THROTTLE WITH ELECTRONIC CONTROL
- STAINLESS STEEL GAS SPRINGS FOR ENGINE COMPARTMENT
- UNDER PLATFORM SLIDING SS LADDER
- HAND PUMP & MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- SYNTHETIC TEAK
- BOAT COVER
- FRESH WATER SHOWER SYSTEM
- STAINLESS STEEL TIE DOWNS
- BIMINI KIT
- STAINLESS STEEL ANCHOR
- NAME ON UPHOLSTERY
- NAME ON TUBES
- LED COURTESY LIGHTS
- BATTERY CHARGER
- TWIN BATTERY INSTALLATION
- VHF & ANTENNA
- COLOR BOAT CUSTOMIZATION
- SINGLE POINT LIFT

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER
FOR FULL FEATURE LIST VISIT OUR WEBSITE


abinflatables.com





ABJET 450 **NEW**

DIESEL



OVERALL LENGTH	14' 8" / 4,47m
OVERALL BEAM	6' 8" / 2,03m
INSIDE LENGTH	13' 4" / 4,06m
INSIDE BEAM	3' 7" / 1,10m
TUBE DIAMETER	16,5" / 0,42m
PERSON CAPACITY	7
WEIGHT	1841lbs / 835kg
RECOMMENDED HP	N/A
MAXIMUM HP	110
SHAFT LENGTH	N/A

ABJET 450 DIESEL ABJET DIESEL SERIES

The ABJET 450 Diesel is the first model in the AB Inflatables Diesel jet series, meticulously crafted, utilizing cutting-edge technology and the finest materials to ensure unmatched durability.

The ABJET 450 Diesel is powered by a YANMAR Engine, 110Hp Turbocharged, delivering not only absolute power but also ensuring peace of mind regardless of water conditions. Its propulsion system is completed with a Castoldi Jet Pump, creating a tender that glides effortlessly through the water.

Whether you are into watersports or simply cruising, the ABJET 450 Diesel is equipped with many standard features to meet your every desire. It can comfortably seat 7 persons and its interiors and pleasant spaces will provide an unforgettable experience.

Don't miss the chance to discover the ABJET 450 Diesel and embark on a journey where power, performance, and luxury converge.



PICTURE A
SINGLE LEVER THROTTLE WITH
ELECTRONIC CONTROL

PICTURE B
YANMAR DIESEL ENGINE 110HP
TURBOCHARGED.

PICTURE C
FOLDING HELM CONSOLE WITH
WINDSHIELD AND AMPLE SPACES
FOR ELECTRONICS AND GADGETS

Nautilus

DLX

A dream to pilot,
unparalleled style

17 DLX



- **Prestigious yacht tender.**
- **Full featured and well appointed.**
- **Comfortable, built-in, upholstered seating.**
- **Graceful lines and elegant styling.**
- **Built-in coolers and ample storage.**
- **Built-in marine grade aluminum fuel tank.**

15 DLX



17 DLX

STANDARD FEATURES

MECHANICAL STEERING SYSTEM (11-13)
HYDRAULIC STEERING SYSTEM (14-19)
STANDARD RIGGING FROM FACTORY
HEIGHT ADJUSTABLE STEERING WHEEL (11, 12, 13, 17 & 19)
12V DC SOCKET
USB PORT
STAINLESS STEEL GAS SPRINGS
AUTOMATIC BILGE PUMP
MASTER SWITCH
BATTERY CHARGER (SUBJECT TO COUNTRY OF DELIVERY)
FUEL/WATER SEPARATOR & CANISTER
FUEL SENDING UNIT
LED COURTESY LIGHTS
SS LED NAVIGATION LIGHT
ALL AROUND ANCHOR LIGHT (11-13)
ALL AROUND LED ANCHOR LIGHT (14-19)
STAINLESS STEEL BOW EYE
BOW STEP
INTEGRATED STAINLESS STEEL BOW RAILS
BOW LOCKER WITH CUSHIONED SEATING
FULLY UPHOLSTERED SEATING-SPRADLING®
UNDER SEAT STORAGE COMPARTMENTS
BUILT-IN COOLER WITH DRAIN
CUPHOLDERS & PLEXIGLASS WINDSHIELD (MODELS 11-17)
3 STAINLESS STEEL FOLD DOWN CLEATS
3 STAINLESS STEEL DAVIT LIFTING POINTS
MOLDED-IN FIBERGLASS REAR SEAT, CONSOLE & SEATS
INTEGRATED FUEL TANK
FRESH WATER SYSTEM (MODELS 14-19)

SOLID SINGLE RUB RAIL (11-12)
SOLID DOUBLE RUB RAIL (13-19)
SUNBATHING BED (MODELS 17 & 19)
STAINLESS STEEL TIE DOWN EYES
STAINLESS STEEL TOW RINGS
STERN RECESSED FOLDABLE LADDER (17)
3 LAYER REINFORCED SEAMS
ORCA (CSM) FABRIC
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL
REMOVABLE LATERAL SEAT (11 & 12)

OPTIONAL FEATURES

SUNBATHING BED (15)
HEIGHT ADJUSTABLE STEERING WHEEL (14 & 15)
FLIP UP SEAT (13 TO 19)
LIGHT ARCH
BIMINI TOP
SYNTHETIC TEAK FLOOR
COMPASS
STEREO SYSTEM
VHF RADIO
GPS
ROD HOLDERS
STAINLESS STEEL SKI TOW (12 TO 19)
COVER
TRANSOM LADDER (13-15)
CHOCK SET
CONSOLE COVER
LIFTING HARNESS
COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES
MAY BE AVAILABLE THROUGH THE
AB DEALER

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com

11 DLX

12 DLX

13 DLX

14 DLX

15 DLX

17 DLX
WIDEBODY
BOWRIDER19 DLX
WIDEBODY
BOWRIDER19 DLX-I/O
WIDEBODY
BOWRIDER

13 DLX



14 DLX



NAUTILUS | DLX LUXURY CONSOLE TENDERS

A perfect blend of thoughtful design, top-of-the-line features and elegant craftsmanship.

Performance driven & beautifully crafted, our full-featured molded-in deck Nautilus line remains unparalleled in quality and style.

Our thoughtfully redesigned line features the finest maneuverability, stylish stainless-steel lateral rails, cupholders, built-in coolers, ample storage, elegant upholstery and windshield made to keep up with the adventure-seekers while providing comfort to those seeking relaxation. From the cushioned bow area to the convenient low helm station and its ergonomically positioned throttle, this handcrafted model, which delivers extra safety for children and pets, is specially designed for comfort and elegance.

Eight models available between 11 to 19 feet.



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



Nautilus



DLX

Luxury console tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.


NAUTILUS 17 DLX | MAIN FEATURES



OVERALL LENGTH	11' / 3.35m
OVERALL BEAM	6' / 1.82m
INSIDE LENGTH	8' / 2.44m
INSIDE BEAM	2' 10" / 0.86m
TUBE DIAMETER	17" / 0.43m
PERSON CAPACITY	4
WEIGHT	456lbs / 207kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50.8cm



OVERALL LENGTH	12' / 3.66m
OVERALL BEAM	6' / 1.82m
INSIDE LENGTH	9' 2" / 2.79m
INSIDE BEAM	2' 10" / 0.86m
TUBE DIAMETER	17" / 0.43m
PERSON CAPACITY	5
WEIGHT	515lbs / 234kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50.8cm








OVERALL LENGTH	13' / 3.96m
OVERALL BEAM	6' 5" / 1.95m
INSIDE LENGTH	9' 9" / 2.97m
INSIDE BEAM	3' 1" / 0.94m
TUBE DIAMETER	18" / 0.46m
PERSON CAPACITY	5
WEIGHT	612lbs / 278kg
RECOMMENDED HP	40
MAXIMUM HP	60
SHAFT LENGTH	20" / 50.8cm



PICTURE A
STANDARD REMOVABLE LATERAL SEAT ON 11 & 12 DLX

PICTURE B
THE BOW AREA ON NAUTILUS 15 (OPTIONAL), 17 AND 19 MODELS CAN BE CONVERTED INTO A SUNBATHING BED

14 DLX	15 DLX	17 DLX	19 DLX	19 DLX-I/O
				
OVERALL LENGTH 14' / 4.27m	OVERALL LENGTH 15' / 4.57m	OVERALL LENGTH 17' / 5.18m	OVERALL LENGTH 19' / 5.79m	OVERALL LENGTH 19' / 5.79m
OVERALL BEAM 6' 6" / 1.98m	OVERALL BEAM 6' 9" / 2.05m	OVERALL BEAM 8' 1" / 2.46m	OVERALL BEAM 8' 4" / 2.54m	OVERALL BEAM 8' 4" / 2.54m
INSIDE LENGTH 10' 10" / 3.30m	INSIDE LENGTH 11' 6" / 3.50m	INSIDE LENGTH 13' 1" / 4.00m	INSIDE LENGTH 15' 4" / 4.67	INSIDE LENGTH 15' 4" / 4.67
INSIDE BEAM 3' 1" / 0.94m	INSIDE BEAM 3' 2" / 0.97m	INSIDE BEAM 4' 5" / 1.35m	INSIDE BEAM 4' 5" / 1.35m	INSIDE BEAM 4' 5" / 1.35m
TUBE DIAMETER 19" / 0.48m	TUBE DIAMETER 19" / 0.48m	TUBE DIAMETER 20" / 0.51m	TUBE DIAMETER 22" / 0.56m	TUBE DIAMETER 22" / 0.56m
PERSON CAPACITY 6	PERSON CAPACITY 6	PERSON CAPACITY 10	PERSON CAPACITY 12	PERSON CAPACITY 10
WEIGHT 730lbs / 332kg	WEIGHT 766lbs / 348kg	WEIGHT 1250lbs / 568kg	WEIGHT 1639lbs / 745kg	WEIGHT 1551lbs / 705kg
RECOMMENDED HP 50	RECOMMENDED HP 60	RECOMMENDED HP 90	RECOMMENDED HP 115	RECOMMENDED HP 150
MAXIMUM HP 70	MAXIMUM HP 75	MAXIMUM HP 115	MAXIMUM HP 150	MAXIMUM HP 220
SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 25" / 63,5cm	SHAFT LENGTH



15 DLX



PICTURE C
ALL NAUTILUS BOATS FEATURE
BUILT-IN COOLERS

PICTURE D
NEW COMFORTABLE THROTTLE
CONTROL (13-17 DLX) / OPTIONAL
FLIP UP SEAT (13-19) DLX

PICTURE E
NAUTILUS MODELS OFFER
AMPLE STORAGE BENEATH THE
STERN SEAT

Oceanus

VST

Unsurpassed
performance &
versatility

14VST



- **Fiberglass sport console rib.**
- **Open and spacious design.**
- **Stylish consoles with windshields and rails.**
- **Four davit lifting points.**
- **Cushioned bow locker.**
- **Ideal for diving and fishing.**
- **Large capacity for crew & equipment.**
- **Primary boat or yacht tender.**
- **Built-in marine grade aluminum fuel tank.**
- **Bow step with back rest cushion.**



28 VST



21 VST

STANDARD FEATURES

MECHANICAL STEERING SYSTEM (12-15)
HYDRAULIC STEERING SYSTEM (17-28)
STANDARD RIGGING FROM FACTORY
HEIGHT ADJUSTABLE STEERING WHEEL
(17 FE VERSION & 28)
12V DC SOCKET (17-28)
USB PORT (17-28)
STAINLESS STEEL GAS SPRINGS
LED COURTESY LIGHTS (17 FE VERSION,
19-28)
SS LED NAVIGATION LIGHT
ALL AROUND LED ANCHOR LIGHT
AUTOMATIC BILGE PUMP
MASTER SWITCH
BATTERY CHARGER (17 FE VERSION,
19-28 / SUBJECT TO COUNTRY OF
DELIVERY)
FUEL/WATER SEPARATOR & CANISTER
FUEL SENDING UNIT
STAINLESS STEEL BOW EYE
BOW STEP WITH CUSHION
STAINLESS STEEL GRAB HANDLES ON
TUBES (EXCEPT 17 BE VERSION, 21-28)
BOW LOCKER WITH CUSHIONED
SEATING
FULLY UPHOLSTERED
SEATING-SPRADLING®
UNDER SEAT STORAGE
COMPARTMENTS
3 STAINLESS STEEL FOLD DOWN
CLEATS
4 STAINLESS STEEL DAVIT LIFTING
POINTS (EXCEPT 21-28)
FIBERGLASS CONSOLE WITH
PLEXIGLASS WINDSHIELD & GRAB RAIL
MOLDED-IN REAR SEAT WITH
AMPLE STORAGE
LEANING BOLSTER (19-28)
CUPHOLDERS (17 FE VERSION, 19,
21 & 24)
INTEGRATED FUEL TANK
FRESH WATER SYSTEM (17 FE VERSION,
19-28)

BOW RIDER SEATS (21 & 24)

STERN RECESSED FOLDABLE LADDER
(17 & 21)
STERN FOLDABLE LADDER (19)
SOLID SINGLE RUB RAIL (12)
SOLID DOUBLE RUB RAIL (13-28)
STAINLESS STEEL TOW RINGS
3 LAYER REINFORCED SEAMS
ORCA (CSM) FABRIC
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

BOW RIDER SEATS (17 & 28)
SUNBATHING BED (17 & 21)
LIGHT ARCH
BIMINI TOP
T-TOP (MODEL 19 - 28)
SYNTHETIC TEAK FLOOR
COMPASS
STEREO SYSTEM
VHF RADIO
GPS
ROD HOLDERS
STAINLESS STEEL SKI ARCH (14-28)
COVER
LATERAL TUBE LADDER
CHOCK SET
CONSOLE COVER
LIFTING HARNESS (EXCEPT 24 & 28)
4 STAINLESS STEEL DAVIT LIFTING
POINTS (21-28)
FIBERGLASS CONSOLE WITH LATERAL
SEAT (13-17)
COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES
MAY BE AVAILABLE THROUGH THE
AB DEALER

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com

12 VST

13 VST

14 VST

15 VST

17 VST

19 VST

21 VST
BOWRIDER24 VST
BOWRIDER

28 VST



OCEANUS | VST

FIBERGLASS CONSOLE TENDERS

The definition of versatility, comfort and performance.

Ready to serve as the perfect tender or as a primary boat, our Oceanus fiberglass sport console RIB delivers unsurpassed performance, convenience, and capacity.

Experienced mariners will instantly spot what sets the Oceanus apart: a wide array of standard and optional features create a sporty and dynamic RIB ready for anything. The generous space aboard the Oceanus range of RIBs is a result of our unique forward-hull design. This stylish yet functional layout provides a comfortable ride, with ample storage for gear or the day's provisions. Built with an extra-deep V-hull, the Oceanus cuts through chop while keeping passengers dry.

Nine models available between 12 to 28 feet.



12 VST



13 VST



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



Oceanus




VST






Fiberglass
console tenders







EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.

OCEANUS 15 VST | MAIN FEATURES



12 VST	13 VST	14 VST	15 VST	17 VST
				
OVERALL LENGTH 12' / 3,66m	OVERALL LENGTH 13' / 3,96m	OVERALL LENGTH 14' / 4,27m	OVERALL LENGTH 15' / 4,57m	OVERALL LENGTH 17' / 5,18m
OVERALL BEAM 6' 1" / 1,86m	OVERALL BEAM 6' 4" / 1,93m	OVERALL BEAM 6' 5" / 1,96m	OVERALL BEAM 6' 6" / 1,99m	OVERALL BEAM 8' 1" / 2,46m
INSIDE LENGTH 9' 2" / 2,79m	INSIDE LENGTH 9' 9" / 2,97m	INSIDE LENGTH 10' 10" / 3,30m	INSIDE LENGTH 11' 6" / 3,50m	INSIDE LENGTH 13' 1" / 3,99m
INSIDE BEAM 2' 10" / 0,86m	INSIDE BEAM 3' 1" / 0,94m	INSIDE BEAM 3' 1" / 0,94m	INSIDE BEAM 3' 2" / 0,97m	INSIDE BEAM 4' 2" / 1,27m
TUBE DIAMETER 17" / 0,43m	TUBE DIAMETER 18" / 0,46m	TUBE DIAMETER 19" / 0,48m	TUBE DIAMETER 19" / 0,48m	TUBE DIAMETER 20" / 0,51m
PERSON CAPACITY 6	PERSON CAPACITY 7	PERSON CAPACITY 8	PERSON CAPACITY 9	PERSON CAPACITY 12
WEIGHT 405lbs / 184kg	WEIGHT 477lbs / 217kg	WEIGHT 510lbs / 232kg	WEIGHT 605lbs / 275kg	WEIGHT 1104lbs / 502kg
RECOMMENDED HP 40	RECOMMENDED HP 40	RECOMMENDED HP 50	RECOMMENDED HP 60	RECOMMENDED HP 90
MAXIMUM HP 50	MAXIMUM HP 60	MAXIMUM HP 70	MAXIMUM HP 75	MAXIMUM HP 115
SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm

19 VST	21 VST	24 VST	28 VST
			
OVERALL LENGTH 19' / 5,79m	OVERALL LENGTH 21' 4" / 6,50m	OVERALL LENGTH 24' / 7,31m	OVERALL LENGTH 27' 4" / 8,33m
OVERALL BEAM 8' 4" / 2,53m	OVERALL BEAM 8' 10" / 2,70m	OVERALL BEAM 9' 3" / 2,82m	OVERALL BEAM 10' 1" / 3,07m
INSIDE LENGTH 14' 11" / 4,55m	INSIDE LENGTH 17' 3" / 5,25m	INSIDE LENGTH 19' 3" / 5,87m	INSIDE LENGTH 22' 11" / 6,99m
INSIDE BEAM 4' 4" / 1,32m	INSIDE BEAM 4' 9" / 1,44m	INSIDE BEAM 5' 4" / 1,64m	INSIDE BEAM 6' 4" / 1,93m
TUBE DIAMETER 22" / 0,56m	TUBE DIAMETER 22" / 0,56m	TUBE DIAMETER 24" / 0,61m	TUBE DIAMETER 24" / 0,61m
PERSON CAPACITY 15	PERSON CAPACITY 18	PERSON CAPACITY 20	PERSON CAPACITY 25
WEIGHT 1252lbs / 569kg	WEIGHT 1808lbs / 820kg	WEIGHT 2213lbs / 1006kg	WEIGHT 2853lbs / 1297kg
RECOMMENDED HP 115	RECOMMENDED HP 150	RECOMMENDED HP 150	RECOMMENDED HP 250
MAXIMUM HP 150	MAXIMUM HP 225	MAXIMUM HP 250	MAXIMUM HP 500
SHAFT LENGTH 25" / 63,5cm	SHAFT LENGTH 25" / 63,5cm	SHAFT LENGTH 25" / 63,5cm	SHAFT LENGTH 30" / 76,2cm

PICTURE A
ALL VST MODELS INCLUDE THE CUSHION ON THE BOW STEP

PICTURE B
FOLD DOWN CLEATS AT THE BOW AND STERN OFFER SECURING POINTS WITHOUT GETTING IN THE WAY

PICTURE C
ALL AB CONSOLES INCLUDE ELECTRONICS AND GAUGES


Mares

VSX

Compact,
lightweight &
practical

- **Fiberglass Sport Console Rib.**
- **Ideal as a Yacht Tender.**
- **Light weight yet rugged construction.**
- **Cushioned Bow Locker.**
- **Four Davit Lifting points.**
- **Ample Storage.**
- **Cup Holders.**

MARES 11 VSX | MAIN FEATURES



STANDARD FEATURES

MECHANICAL STEERING SYSTEM
STANDARD RIGGING FROM FACTORY
STAINLESS STEEL BOW EYE
BOW LOCKER SEAT & CUSHION
INTEGRATED FIBERGLASS CONSOLE
FOLDABLE CONSOLE (10, 11)
PLEXIGLASS WINDSHIELD
SS LED SIDE NAVIGATION LIGHT
ALL AROUND LED ANCHOR LIGHT
AUTOMATIC BILGE PUMP
MASTER SWITCH
FULLY UPHOLSTERED SEATING-SPRADLING®
UNDER SEAT STORAGE COMPARTMENTS
4 STAINLESS STEEL DAVIT LIFTING POINTS
SINGLE SOLID RUB RAIL
STAINLESS STEEL TOW RINGS
ORCA (CSM) FABRIC HANDLES ON TUBES
3 LAYER REINFORCED SEAMS
ORCA (CSM) FABRIC
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL
CUPHOLDER
REMOVABLE LATERAL SEAT (11)
BOW LOCKER SEAT WITH VENT & STORAGE TO FIT A 6 GAL PORTABLE FUEL TANK (11)

OPTIONAL FEATURES

TUBE CHAPS
COVER
CHOCK SET
BIMINI TOP
LIFTING HARNESS
STEREO SYSTEM
COMPASS
GPS
VHF RADIO
BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
LATERAL STAINLESS STEEL FOLD DOWN CLEAT
COLOR BOAT CUSTOMIZATION
HYDRAULIC STEERING SYSTEM
SYNTHETIC TEAK FLOOR

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER

FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



MARES | VSX LIGHTWEIGHT FIBERGLASS CONSOLE TENDERS

Our most compact, practical and comfortable sport console tender.


Whether you are looking to explore the local waters, secluded fishing spots, or just looking for a fun night out on the town, our Mares console tender is the way to go. It offers comfortable and convenient seating positions for a relaxing boating day.

Our Mares tender features a durable fiberglass hull designed for extra stability and superior handling and in addition, its deck is made from a single molded-in fiberglass deck for quiet navigation and greater durability. It guarantees a smooth, dry ride, and though lightweight, its durable construction ensures years of dependable service.

Tailored with a comfortable cushioned seating area, console with cupholder, a roomy non-skid deck and a long list of standard features, the Mares is the ideal tender for family fun. It also includes an abundance of storage, offering a flip open rear seat and concealed bow locker. With four lifting points, it is also conveniently easy to haul on to davits or decks.

Three models are available in 10, 11 and 12ft.



10 VSX



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	7' 7" / 2,31m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	287lbs / 130kg
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	15-20" / 38,1-50,8cm


11 VSX

REMOVABLE LATERAL SEAT



OVERALL LENGTH	11' 4" / 3,45m
OVERALL BEAM	5' 9" / 1,77m
INSIDE LENGTH	8' 1" / 2,47m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	4
WEIGHT	317lbs / 144kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm

12 VSX



OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' / 1,82m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	5
WEIGHT	337lbs / 153kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm



11 VSX



PICTURE A
STANDARD REMOVABLE LATERAL
SEAT (11)



PICTURE B
BOW LOCKER WITH STORAGE TO FIT A
6 GAL PORTABLE FUEL TANK (11)

Navigo

VS

The roomiest on
the market

10 VS



- Full featured open tender.
- Attractive non-skid diamond pattern floor.
- Four davit lifting points.
- Large bow locker with seating.
- Double fiberglass hull.
- Double rub rail.
- Smaller models from 8-10ft offer an 820 CSM Orca® Fabric for higher protection and resistance.
- Bow Locker / Seat to fit a portable fuel tank (9-14 VS).



9 VS

8 VS

9 VS

10 VS

12 VS

13 VS



10 VS



15 VS

14 VS

15 VS

17 VS

19 VS

NAVIGO | VS OPEN FIBERGLASS TENDERS

The most spacious fiberglass RIB on the market, easily customizable to fit your every need.

With its unique forward-hull design, our full-featured Navigo is the most spacious fiberglass RIB on the market. Ready for whatever comes its way, this is the ideal tender for a day trip to the beach, an adventurous morning of snorkeling, or simply transporting family and friends in style.

The modular design of the Navigo allows for easy customization. From seating choices including bench seats, consoles and even two-person jockey seats, this boat can be personalized to fit your unique needs and style. With its incredibly durable and dependable double fiberglass hull, everything about the Navigo speaks to convenience and practicality.

On our smaller models, which are very popular among charter companies, portable fuel tanks can be fitted in the bow lockers with the fuel line hidden, leaving the deck free of obstructions. As well, built in fuel tanks can be installed in our larger models. With four davit lifting points, an elegant, non-skid diamond patterned floor and a large bow locker, the Navigo is one of our must-have RIBs. Last but not least, even the smaller models from 8-10ft offer an 820 CSM Orca® Coated Fabric which brings extra protection and with-it greater resistance and durability.

Nine models available between 8 to 19 feet.



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



14 VS

STANDARD FEATURES

STAINLESS STEEL BOW EYE
BOW LOCKER SEAT WITH VENT & STORAGE TO FIT A 6 GAL PORTABLE FUEL TANK (9 TO 14)
UNDER DECK CHANNEL FOR FUEL LINE WITH SS STARBURST (9 TO 14)
4 STAINLESS STEEL DAVIT LIFTING POINTS
REMOVABLE ROWING SEAT (8-10)
REMOVABLE SEAT (12)
OARLOCK BASE WITH OARLOCKS (8-10)
PADDLES (12-19)
ORCA (CSM) FABRIC HANDLES ON TUBES
ORCA (CSM) FABRIC
ADDITIONAL AIR RETAINING CHAMBER UNDER THE FLOOR (8-14)
SOLID SINGLE RUB RAIL (8-12)
SOLID DOUBLE RUB RAIL (13-19)
STAINLESS STEEL TOW RINGS (EXCEPT 12-19)
3 LAYER REINFORCED SEAMS
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

PORTABLE FUEL TANK INSTALLED IN BOW LOCKER (9 TO 14)
FIBERGLASS CONSOLE
FIBERGLASS CONSOLE WITH FORWARD SEAT (13-19)
FIBERGLASS CONSOLE WITH LATERAL SEAT (13-17)
ONE PERSON JOCKEY SEAT
TWO PERSON JOCKEY SEAT (12-19)
BENCH SEAT WITH STORAGE (9-17)
LEANING BOLSTER (15-19)
MECHANICAL STEERING SYSTEM
HYDRAULIC STEERING SYSTEM
STANDARD RIGGING FROM FACTORY
SS LED NAVIGATION LIGHT
ALL AROUND LED ANCHOR LIGHT
AUTOMATIC BILGE PUMP
MASTER SWITCH
FUEL / WATER SEPARATOR & CANISTER
INTEGRATED FUEL TANK (15-19)
BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
LATERAL STAINLESS STEEL FOLD DOWN CLEAT
BIMINI TOP
COVER
BOW HATCH CUSHION
TUBE CHAPS
CHOCK SET
COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES
MAY BE AVAILABLE THROUGH THE
AB DEALER

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com

Navigo


VS




Open fiberglass
tenders



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.

NAVIGO 10 VS | MAIN FEATURES AND OPTIONAL EQUIPMENT




8 VS	9 VS	10 VS
		
OVERALL LENGTH 8' 6" / 2,60m	OVERALL LENGTH 9' 6" / 2,90m	OVERALL LENGTH 10' 6" / 3,19m
OVERALL BEAM 5' 4" / 1,64m	OVERALL BEAM 5' 7" / 1,72m	OVERALL BEAM 5' 7" / 1,72m
INSIDE LENGTH 5' 10" / 1,79m	INSIDE LENGTH 6' 9" / 2,06m	INSIDE LENGTH 7' 7" / 2,31m
INSIDE BEAM 2' 4" / 0,72m	INSIDE BEAM 2' 8" / 0,81m	INSIDE BEAM 2' 8" / 0,81m
TUBE DIAMETER 16" / 0,41m	TUBE DIAMETER 17" / 0,43m	TUBE DIAMETER 17" / 0,43m
PERSON CAPACITY 4	PERSON CAPACITY 4	PERSON CAPACITY 5
WEIGHT 125lbs / 57kg	WEIGHT 152lbs / 69kg	WEIGHT 169lbs / 77kg
RECOMMENDED HP 8	RECOMMENDED HP 9.9	RECOMMENDED HP 15
MAXIMUM HP 10	MAXIMUM HP 15	MAXIMUM HP 25
SHAFT LENGTH 15" / 38,1cm	SHAFT LENGTH 15" / 38,1cm	SHAFT LENGTH 15" / 38,1cm

AVAILABLE OPTIONS TO CUSTOMIZE YOUR BOAT


		
1	3	5
		
2	4	6
1. CONSOLE WITH FORWARD SEAT H 42" / W 18" / D 32"- WT 48lbs H 1.08m / W 0.45m / D 0.82m - WT 22Kg	3. CONSOLE WITHOUT FORWARD SEAT H 38" / W 18" / D 16"- WT 33lbs H 0.96m / W 0.45m / D 0.40m - WT 15Kg	5. CONSOLE WITH FORWARD SEAT (17FT) H 42" / W 27" / D 34"- WT 95lbs H 1.07m / W 0.69m / D 0.86m - WT 43Kg
2. BENCH SEAT WITH STORAGE H 17" / W 30" / D 16"- WT 39lbs H 0.43m / W 0.77m / D 0.40m - WT 18Kg FITS STANDARD 6 GL FUEL TANK	4. TWO PERSON JOCKEY SEAT H 34" / W 17" / D 48"- WT 35lbs H 0.86m / W 0.42m / D 1.23m - WT 16Kg	6. CONSOLE (19FT) H 58" / W 30" / D 25"- WT 119lbs H 1.47m / W 0.77m / D 0.63m - WT 54Kg

12 VS




OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' / 1,82m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	202lbs / 92kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	15 - 20" / 38,1-50,8cm

13 VS




OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	9' 9" / 2,97m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	293lbs / 133kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm

14 VS



OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 4" / 1,94m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 1" / 0,94m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	348lbs / 158kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm



PICTURE A
BOW LOCKER / SEAT TO FIT A
PORTABLE FUEL TANK (9 TO 14)

PICTURE B
HIDDEN CHANNEL FOR FUEL LINE
WITH SS STARBURST



7. LEAN ON
H 31" / W 32" / D 15" - WT 29lbs
H 0.79m / W 0.81m / D 0.38m - WT 13Kg


**8. CONSOLE WITH FORWARD
& LATERAL SEAT.**
H 44" / W 33" / D 27" - WT 661bs
H 1.12m / W 0.83m / D 0.69m - WT 30Kg
FITS STANDARD 6 GL FUEL TANK

9. FIBERGLASS SLIM CONSOLE
H 32" / W 19" / D 14" - WT 7lbs
H 0.81m / W 0.47m / D 0.35m - WT 16Kg

10. BOW CLEAT
H 4.25" / W 15.87" / D 11.75" - WT 3.48lbs
H 0.10m / W 0.40m / D 0.30m - WT 1.58Kg


11. LATERAL CLEAT
H 2.38" / W 11.5" / D 7.5" - WT 2.16lbs
H 0.06m / W 0.3m / D 0.2m - WT 0.98Kg

15 VS




OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 6" / 1,99m
INSIDE LENGTH	11' 6" / 3,50m
INSIDE BEAM	3' 2" / 0,97m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	11
WEIGHT	484lbs / 220kg
RECOMMENDED HP	60
MAXIMUM HP	75
SHAFT LENGTH	20" / 50,8cm

17 VS



OVERALL LENGTH	17' / 5,18m
OVERALL BEAM	8' 1" / 2,46m
INSIDE LENGTH	13' 1" / 4,00m
INSIDE BEAM	4' 4" / 1,33m
TUBE DIAMETER	20" / 0,50m
PERSON CAPACITY	15
WEIGHT	772lbs / 350kg
RECOMMENDED HP	75
MAXIMUM HP	90
SHAFT LENGTH	20" / 50,8cm

19 VS



OVERALL LENGTH	19' / 5,79m
OVERALL BEAM	8' 4" / 2,53m
INSIDE LENGTH	15' 2" / 4,62m
INSIDE BEAM	4' 1" / 1,25m
TUBE DIAMETER	22" / 0,56m
PERSON CAPACITY	15
WEIGHT	1157lbs / 526kg
RECOMMENDED HP	115
MAXIMUM HP	150
SHAFT LENGTH	25" / 63,5cm


Ventus

VL

Light in weight,
heavy in features

- **Lightweight fiberglass tender.**
- **Ideal sailboat tender.**
- **Easily towed and lifted.**
- **Spacious interior with deeper freeboard.**
- **Full-length deep “V” keel.**
- **Special rubber non skid material.**
- **Smaller models from 8-10ft offer an 820 CSM Orca® Fabric for higher protection and resistance.**

VENTUS 10 VL | MAIN FEATURES



STANDARD FEATURES

- STAINLESS STEEL BOW EYE
- 3 STAINLESS STEEL DAVIT LIFTING POINTS
- REMOVABLE ROWING SEAT (8-10)
- REMOVABLE SEAT (12)
- ORLOCK BASE WITH ORLOCKS (EXCEPT MODEL 12)
- ORCA (CSM) FABRIC HANDLES ON TUBES
- ORCA (CSM) FABRIC
- ADDITIONAL AIR RETAINING CHAMBER UNDER THE FLOOR
- SINGLE RUB RAIL
- 3 LAYER REINFORCED SEAMS
- NON-SKID RUBBER FLOOR PANELS
- HAND PUMP
- MAINTENANCE KIT
- OWNER'S MANUAL

OPTIONAL FEATURES

- BIMINI TOP
- COVER
- TUBE CHAPS
- CHOCK SET
- BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
- LATERAL STAINLESS STEEL FOLD DOWN CLEAT
- COLOR BOAT CUSTOMIZATION
- BOW BENCH SEAT

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER
FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.





VENTUS | VL LIGHTWEIGHT FIBERGLASS TENDERS

Lightweight, full-length fiberglass deep-V RIB, designed for extra space, durability and performance.

Here at AB, we created the Ventus as the perfect lightweight fiberglass performance tender. Due to its unique design, the Ventus requires very little horsepower, without sacrificing maneuverability.

Whether you are cruising back to the marina for lunch or hosting a fishing trip, the Ventus packs a variety of features into one small, light package. Designed with a deeper freeboard, the Ventus is equipped with a spacious interior ensuring an enjoyable, stable and dry ride. Our larger sizes offer seating for up to six adults, while our smaller modes seats 4 adults. With an 820 CSM Orca® Coated Fabric on models from 8-10ft, it brings extra protection and with-it greater resistance and durability. Its integrated non-skid deck material also allows for extra safety and confidence on the water.

Keeping up with our standards of safety, we designed the Ventus with an additional air chamber built into the hull. Designed to be easily hauled onto a deck or davits, it can also be pulled up on a sandy beach for shore excursions with ease.


Four models available from 8 to 12 feet.

PICTURE A
VENTUS BOATS FEATURE AN ALUMINUM TRANSOM PROTECTOR WITH AN ENGINE SECURITY LIP, THREE DAVIT LIFTING POINTS, AND AN ADDITIONAL BUILT-IN AIR CHAMBER IN THE FLOOR FOR ADDED SAFETY

PICTURE B
OPTIONAL ALUMINUM BOW BENCH SEAT




8 VL




OVERALL LENGTH	8' 6" / 2,60m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 4" / 0,72m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	95lbs / 43kg
RECOMMENDED HP	8
MAXIMUM HP	10
SHAFT LENGTH	15" / 38,1cm

9 VL




OVERALL LENGTH	9' 6" / 2,90m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	6' 9" / 2,06m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	106lbs / 48kg
RECOMMENDED HP	9,9
MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm

10 VL



OVERALL LENGTH	10' 6" / 3,19m
OVERALL BEAM	5' 7" / 1,72m
INSIDE LENGTH	7' 7" / 2,31m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	123lbs / 56kg
RECOMMENDED HP	15
MAXIMUM HP	25
SHAFT LENGTH	15" / 38,1cm

12 VL



OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	5' 10" / 1,77m
INSIDE LENGTH	8' 9" / 2,67m
INSIDE BEAM	2' 9" / 0,84m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	156lbs / 71kg
RECOMMENDED HP	20
MAXIMUM HP	30
SHAFT LENGTH	15" / 38,1cm

Alumina

ALX

A tough legend

16 ALX



- **Aluminum hull sport console rib.**
- **Light weight yet rugged construction.**
- **Durable enough for rocky shores & coral reefs.**
- **Requires less horsepower.**
- **Standard Seadeck® Foam Teak.**
- **Bow step with back rest cushion.**

14 ALX



9.5 ALX

STANDARD FEATURES

MARINE GRADE ALUMINUM HULL
CHROME FREE-ADVANCED
PRETREATMENT & POWDER COATING
TECHNOLOGY
PORTABLE FUEL TANK INSTALLED
IN BOW LOCKER (9.5-16)
MECHANICAL STEERING SYSTEM
(EXCEPT 18 WITH HYDRAULIC)
SS LED NAVIGATION LIGHT
ALL AROUND ANCHOR LIGHT (9.5-12)
ALL AROUND LED ANCHOR LIGHT
(13-18)
AUTOMATIC BILGE PUMP
MASTER SWITCH
FUEL/WATER SEPARATOR & CANISTER
FUEL SENDING UNIT (18)
INTEGRATED FUEL TANK (18)
STAINLESS STEEL GAS SPRINGS
SOLID SINGLE RUB RAIL (9.5-12)
SOLID DOUBLE RUB RAIL (13-18)
SEADEK® FOAM TEAK
BOW EYE
DAVIT LIFTING POINTS
TOW RINGS
ORCA (CSM) FABRIC
FULLY UPHOLSTERED SEATING-
SPRADLING®
FIBERGLASS CONSOLE WITH
WINDSHIELD & RAIL
BENCH SEAT WITH STORAGE
BOW LOCKER WITH CUSHIONED
SEATING
3 STAINLESS STEEL FOLD DOWN
CLEATS (EXCEPT 9.5 & 10 WITH 1)
BOW STEP WITH CUSHION
STANDARD RIGGING FROM FACTORY
3 LAYER REINFORCED SEAMS
RUBBER KEEL PROTECTOR
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

TUBE CHAPS
COVER
CHOCK SET
BIMINI TOP
LIFTING HARNESS
SYNTHETIC TEAK
STEREO SYSTEM
COMPASS
GPS
VHF RADIO
CONSOLE WITH LATERAL SEAT
COLOR BOAT CUSTOMIZATION

NOTE: SOME OPTIONAL FEATURES
MAY BE AVAILABLE THROUGH THE
AB DEALER
FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com



16 ALX



12 ALX

ALUMINA | ALX ALUMINUM CONSOLE TENDERS

Versatile, durable, and designed for the adventurous.

Designed with the aquatic adventurer in mind, the Alumina sport console RIB is the most complete aluminum console boat on the market. Its high-quality aluminum hulls make it durable enough to withstand all sorts of terrain, allowing you to confidently make your way through coral reefs, rivers and lakes in style and comfort.

Despite its strength and durability, the Alumina sport console line is also lightweight. This means easier launching and lifting onto davits, platforms, or simply up to the beach for a day of relaxing. This also means greater speed, less required horsepower and improved fuel economy.

Thoughtfully designed to be a multipurpose boat, the Alumina offers both ample storage compartments and a spacious deck layout. Features include as standard a steering system, bilge pump, bow locker, fitted portable fuel tank, LED navigation lights, all around lights and cleats. In addition to that, all the electrical and rigging installations are done in-house.

Our chrome-free Pretreatment and Powder Coating Technology offers a superior coating adherence. The Alumina also can be requested uncoated, which means less maintenance when it is frequently used on areas with underwater obstructions. These include lifting and towing eyes vertically positioned to avoid these from bending, reinforced transom knees and a large squared aluminum engine rest support.

Nine models available from 9.5 to 18 feet.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



Alumina


ALX

Aluminum console tenders



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

ALUMINA 16 ALX | MAIN FEATURES AND OPTIONAL EQUIPMENT




9.5 ALX	10 ALX	11 ALX
OVERALL LENGTH 9' 6" / 2,90m	OVERALL LENGTH 10' 6" / 3,19m	OVERALL LENGTH 11' 6" / 3,50m
OVERALL BEAM 5' 6" / 1,68m	OVERALL BEAM 5' 6" / 1,68m	OVERALL BEAM 5' 7" / 1,70m
INSIDE LENGTH 6' 11" / 2,11m	INSIDE LENGTH 7' 6" / 2,30m	INSIDE LENGTH 8' 6" / 2,60m
INSIDE BEAM 2' 6" / 0,76m	INSIDE BEAM 2' 8" / 0,81m	INSIDE BEAM 2' 8" / 0,81m
TUBE DIAMETER 17" / 0,43m	TUBE DIAMETER 17" / 0,43m	TUBE DIAMETER 17" / 0,43m
PERSON CAPACITY 5	PERSON CAPACITY 5	PERSON CAPACITY 5
WEIGHT 236lbs / 107kg	WEIGHT 255lbs / 116kg	WEIGHT 284lbs / 129kg
RECOMMENDED HP 15	RECOMMENDED HP 15	RECOMMENDED HP 20
MAXIMUM HP 25	MAXIMUM HP 25	MAXIMUM HP 30
SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm	SHAFT LENGTH 20" / 50,8cm




PICTURE A
BOW LOCKER / SEAT WITH FITTED PORTABLE FUEL TANK (9.5 TO 16)


PICTURE B
ALL ALX MODELS INCLUDE THE CUSHION ON THE BOW STEP

12 ALX


OVERALL LENGTH	12' / 3,66m
OVERALL BEAM	6' 1" / 1,85m
INSIDE LENGTH	8' 10" / 2,70m
INSIDE BEAM	2' 11" / 0,89m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	6
WEIGHT	315lbs / 143kg
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm

13 ALX


OVERALL LENGTH	13' / 3,96m
OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	9' 10" / 3,00m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	18" / 0,46m
PERSON CAPACITY	7
WEIGHT	386lbs / 175kg
RECOMMENDED HP	30
MAXIMUM HP	40
SHAFT LENGTH	20" / 50,8cm

14 ALX


OVERALL LENGTH	14' / 4,27m
OVERALL BEAM	6' 7" / 2,00m
INSIDE LENGTH	10' 10" / 3,30m
INSIDE BEAM	3' 3" / 0,99m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	8
WEIGHT	408lbs / 185kg
RECOMMENDED HP	40
MAXIMUM HP	50
SHAFT LENGTH	20" / 50,8cm

**12 ALX****14 ALX****15 ALX**

OVERALL LENGTH	15' / 4,57m
OVERALL BEAM	6' 9" / 2,06m
INSIDE LENGTH	11' 8" / 3,55m
INSIDE BEAM	3' 4" / 1,03m
TUBE DIAMETER	19" / 0,48m
PERSON CAPACITY	9
WEIGHT	481bs / 218kg
RECOMMENDED HP	50
MAXIMUM HP	60
SHAFT LENGTH	20" / 50,8cm

16 ALX

OVERALL LENGTH	16' / 4,88m
OVERALL BEAM	7' / 2,14m
INSIDE LENGTH	13' 2" / 3,85m
INSIDE BEAM	3' 6" / 1,08m
TUBE DIAMETER	20" / 0,51m
PERSON CAPACITY	10
WEIGHT	534lbs / 242kg
RECOMMENDED HP	50
MAXIMUM HP	70
SHAFT LENGTH	20" / 50,8cm

18 ALX

OVERALL LENGTH	18' / 5,49m
OVERALL BEAM	7' 10" / 2,40m
INSIDE LENGTH	14' 8" / 4,47m
INSIDE BEAM	4' 3" / 1,30m
TUBE DIAMETER	21" / 0,53m
PERSON CAPACITY	12
WEIGHT	895lbs / 406kg
RECOMMENDED HP	90
MAXIMUM HP	115
SHAFT LENGTH	25" / 63,5cm

**A****B**

Lammina

AL

Amazingly tough
and light

10 AL



- **Aluminum hull open tender.**
- **Light weight yet rugged construction.**
- **Perfect for limited capacity davits.**
- **Ideal sailboat tender.**
- **Durable enough for rocky shores & coral reefs.**
- **Seadeck® Eva foam non-skid floor**
- **Rubber keel protector on full length of keel.**
- **Smaller models from 8-10 ft offer an 820 CSM Orca® fabric for higher protection and resistance.**

9.5 AL | SUPERLIGHT



12 AL | SUPERLIGHT

STANDARD FEATURES

MARINE GRADE ALUMINUM HULL
CHROME FREE-ADVANCED PRETREATMENT & POWDER COATING TECHNOLOGY
SINGLE RUB RAIL (8-10)
SOLID SINGLE RUB RAIL (11-12)
SOLID DOUBLE RUB RAIL (13-16)
BOW EYE
ALUMINUM DAVIT LIFTING POINTS
REMOVABLE ROWING SEAT (8-10)
REMOVABLE SEAT (11-16)
OARLOCK BASE WITH OARLOCKS (8-10)
ORCA (CSM) FABRIC HANDLES ON TUBES
ORCA (CSM) FABRIC
SEADEK® EVA FOAM NON-SKID FLOOR
TOW RINGS
3 LAYER REINFORCED SEAMS
RUBBER KEEL PROTECTOR
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL

OPTIONAL FEATURES

BOW LOCKER/SEAT WITH CUSHION
PORTABLE FUEL TANK INSTALLED IN BOW LOCKER (9-16)
FIBERGLASS CONSOLE
FIBERGLASS CONSOLE WITH FORWARD SEAT
FIBERGLASS CONSOLE WITH LATERAL SEAT
ONE PERSON JOCKEY SEAT
TWO PERSON JOCKEY SEAT
BENCH SEAT WITH STORAGE
BOW STEP WITH STAINLESS STEEL FOLD DOWN CLEAT
LATERAL STAINLESS STEEL FOLD DOWN CLEAT
BIMINI TOP
COVER
TUBE CHAPS
CHOCK SET
MECHANICAL STEERING SYSTEM
HYDRAULIC STEERING SYSTEM
STANDARD RIGGING FROM FACTORY
SS LED NAVIGATION LIGHT
ALL AROUND LED ANCHOR LIGHT
AUTOMATIC BILGE PUMP
MASTER SWITCH
FUEL / WATER SEPARATOR & CANISTER
COLOR BOAT CUSTOMIZATION
SEADEK® FOAM TEAK

NOTE: SOME OPTIONAL FEATURES
MAY BE AVAILABLE THROUGH THE
AB DEALER

FOR FULL FEATURE LIST VISIT
OUR WEBSITE

abinflatables.com

8 AL

SUPERLIGHT

9 AL

SUPERLIGHT

9.5 AL

SUPERLIGHT

10 AL

SUPERLIGHT

11 AL

SUPERLIGHT

12 AL

SUPERLIGHT

13 AL

SUPERLIGHT

14 AL

SUPERLIGHT

15 AL

SUPERLIGHT

16 AL

SUPERLIGHT

**10 AL | SUPERLIGHT****13 AL | SUPERLIGHT**

LAMMINA | AL ALUMINUM TENDERS

World-renowned, innovative design created to fit your needs.

This light-weight, hard-bottomed open tender is perfect for boats with lighter capacity davits. Featuring a tough aluminum hull for weight reduction and durability, this solidly constructed hull provides years of reliable use.

The Lammina AL easily cuts through wakes and chop with a lower horsepower than fiberglass tenders. A full-length rubber keel protector enables you to cruise through unknown areas without worry, and its double layer floor guarantee a dry deck and a stable ride. The bow locker serves as a convenient boarding step and comfortable seat for guests. You can also use it to store a portable fuel tank where the fuel line passes underneath the floor, leaving the deck free of obstructions. As an important key feature, the models from 8 to 10ft come with an 820 CSM Orca® Coated Fabric, it offers the thickest and strongest fabric in their segment which brings extra protection. The versatile full-sized Lammina AL has a modular design with customizable seating and console choices.

Our chrome-free Pretreatment and Powder Coating Technology offers a superior coating adherence. The Lammina AL line also can be requested uncoated. These include lifting and towing eyes vertically positioned to avoid these from bending and reinforced transom knees.

Ten models available from 8 to 16 feet.



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.

(*) MODELS 2017



Lamina


AL




Aluminum tenders




EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

LAMMINA 12 AL MAIN FEATURES AND OPTIONAL EQUIPMENT








8 AL	9 AL	9.5 AL
SUPERLIGHT	SUPERLIGHT	SUPERLIGHT
		
OVERALL LENGTH8' 5" / 2,56m	OVERALL LENGTH9' 1" / 2,76m	OVERALL LENGTH9' 6" / 2,90
OVERALL BEAM4' 9" / 1,45m	OVERALL BEAM4' 9" / 1,45m	OVERALL BEAM5' 6" / 1,68m
INSIDE LENGTH5' 10" / 1,79m	INSIDE LENGTH6' 3" / 1,90m	INSIDE LENGTH6' 11" / 2,11m
INSIDE BEAM2' / 0,62m	INSIDE BEAM2' 2" / 0,66m	INSIDE BEAM2' 6" / 0,76m
TUBE DIAMETER16" / 0,41m	TUBE DIAMETER16" / 0,41m	TUBE DIAMETER17" / 0,43m
PERSON CAPACITY4	PERSON CAPACITY4	PERSON CAPACITY5
WEIGHT W/ BOW LOCKER97lbs / 44kg*	WEIGHT W/ BOW LOCKER103lbs / 47kg*	WEIGHT W/ BOW LOCKER125lbs / 57kg*
RECOMMENDED HP4	RECOMMENDED HP8	RECOMMENDED HP8
MAXIMUM HP6	MAXIMUM HP10	MAXIMUM HP15
SHAFT LENGTH15" / 38,1cm	SHAFT LENGTH15" / 38,1cm	SHAFT LENGTH15" / 38,1cm



PICTURE A
LAMMINA BOATS INCLUDE AN ALUMINUM TRANSOM PROTECTOR WITH AN ENGINE SECURITY LIP AND WELDED DAVIT LIFTING POINTS

PICTURE B
OPTIONAL BOW LOCKER FOR SEATING, STORAGE AND/OR TO FIT A 6 GALLON PORTABLE FUEL TANK (EXCEPT 9 AL)



10 AL	11 AL	12 AL	13 AL	14 AL
SUPERLIGHT	SUPERLIGHT	SUPERLIGHT	SUPERLIGHT	SUPERLIGHT
				
OVERALL LENGTH	OVERALL LENGTH	OVERALL LENGTH	OVERALL LENGTH	OVERALL LENGTH
10' 6" / 3,19m	11' 6" / 3,50m	12' / 3,66m	13' / 3,96m	14' / 4,27m
OVERALL BEAM	OVERALL BEAM	OVERALL BEAM	OVERALL BEAM	OVERALL BEAM
5' 6" / 1,68m	5' 7" / 1,70m	6' 1" / 1,85m	6' 7" / 2,00m	6' 7" / 2,00m
INSIDE LENGTH	INSIDE LENGTH	INSIDE LENGTH	INSIDE LENGTH	INSIDE LENGTH
7' 6" / 2,30m	8' 6" / 2,60m	8' 10" / 2,70m	9' 10" / 3,00m	10' 10" / 3,30m
INSIDE BEAM	INSIDE BEAM	INSIDE BEAM	INSIDE BEAM	INSIDE BEAM
2' 8" / 0,81m	2' 8" / 0,81m	2' 11" / 0,89m	3' 3" / 0,99m	3' 3" / 0,99m
TUBE DIAMETER	TUBE DIAMETER	TUBE DIAMETER	TUBE DIAMETER	TUBE DIAMETER
17" / 0,43m	17" / 0,43m	18" / 0,46m	18" / 0,46m	19" / 0,48m
PERSON CAPACITY	PERSON CAPACITY	PERSON CAPACITY	PERSON CAPACITY	PERSON CAPACITY
5	6	6	7	8
WEIGHT W/ BOW LOCKER	WEIGHT W/ BOW LOCKER	WEIGHT W/ BOW LOCKER	WEIGHT W/ BOW LOCKER	WEIGHT W/ BOW LOCKER
144lbs / 65kg*	187lbs / 85kg*	213lbs / 97kg*	235lbs / 107kg*	274lbs / 124kg*
RECOMMENDED HP	RECOMMENDED HP	RECOMMENDED HP	RECOMMENDED HP	RECOMMENDED HP
10	20	25	30	40
MAXIMUM HP	MAXIMUM HP	MAXIMUM HP	MAXIMUM HP	MAXIMUM HP
20	30	30	40	50
SHAFT LENGTH	SHAFT LENGTH	SHAFT LENGTH	SHAFT LENGTH	SHAFT LENGTH
15" / 38,1cm	20" / 50,8cm	20" / 50,8cm	20" / 50,8cm	20" / 50,8cm

AVAILABLE OPTIONS TO CUSTOMIZE YOUR BOAT



- 1. CONSOLE WITH FORWARD SEAT**
H 42" / W 18" / D 32" - WT 48lbs
H 1.08m / W 0.45m / D 0.82m - WT 22Kg
- 2. BENCH SEAT WITH STORAGE**
H 17" / W 30" / D 16" - WT 39lbs
H 0.43m / W 0.77m / D 0.40m - WT 18Kg
FITS STANDARD 6 GL FUEL TANK
- 3. CONSOLE WITHOUT FORWARD SEAT**
H 38" / W 18" / D 16" - WT 33lbs
H 0.96m / W 0.45m / D 0.40m - WT 15Kg
- 4. TWO PERSON JOCKEY SEAT**
H 34" / W 17" / D 48" - WT 35lbs
H 0.86m / W 0.42m / D 1.23m - WT 16Kg
- 5. FIBERGLASS SLIM CONSOLE**
H 32" / W 19" / D 14" - WT 7lbs
H 0.81m / W 0.47m / D 0.35m - WT 16Kg
- 6. BOW CLEAT**
H 4.25" / W 15.87" / D 11.75" - WT 3.48lbs
H 0.10m / W 0.40m / D 0.30m - WT 1.58Kg

- 7. LATERAL CLEAT**
H 2.38" / W 11.5" / D 7.5" - WT 2.16lbs
H 0.06m / W 0.3m / D 0.2m - WT 0.98Kg
- [*] WEIGHT WITHOUT BOW LOCKER**
FOR WEIGHTS WITHOUT BOW LOCKER,
PLEASE GO TO SPECIFICATIONS
SECTION.
- NOTE:** 9.5 & 10 AL ARE NOT BUILT TO
ADAPT BENCH SEAT & CONSOLE.

15 AL	16 AL
SUPERLIGHT	SUPERLIGHT
	
OVERALL LENGTH	OVERALL LENGTH
15' / 4,57m	16' / 4,88m
OVERALL BEAM	OVERALL BEAM
6' 9" / 2,06m	13' 2" / 4,00m
INSIDE LENGTH	INSIDE LENGTH
11' 8" / 3,55m	12' 8" / 3,85m
INSIDE BEAM	INSIDE BEAM
3' 4" / 1,03m	3' 6" / 1,08m
TUBE DIAMETER	TUBE DIAMETER
19" / 0,48m	20" / 0,51m
PERSON CAPACITY	PERSON CAPACITY
9	10
WEIGHT W/ BOW LOCKER	WEIGHT W/ BOW LOCKER
357lbs/162kg*	401lbs/182kg*
RECOMMENDED HP	RECOMMENDED HP
50	50
MAXIMUM HP	MAXIMUM HP
60	70
SHAFT LENGTH	SHAFT LENGTH
20" / 50,8cm	20" / 50,8cm


Lamina

UL

Extremely light
in weight and price

- **Aluminum hull open tender.**
- **Ultra light and spacious.**
- **Ideal sailboat tender.**
- **Special rubber non-skid material.**
- **Exceptionally reasonable pricing.**
- **Smaller models from 8-10ft offer an 820 CSM Orca® Fabric for higher protection and resistance.**

LAMMINA 9 UL | MAIN FEATURES



STANDARD FEATURES
MARINE GRADE ALUMINUM HULLS
SEADEK® EVA FOAM NON-SKID FLOOR
ORCA (CSM) FABRIC
BOW EYE
ALUMINUM DAVIT LIFTING POINTS
SINGLE RUB RAIL
ORCA (CSM) FABRIC HANDLES ON TUBES
REMOVABLE ROWING SEAT
OARLOCK BASE WITH OARLOCKS
3 LAYER REINFORCED SEAMS
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL


OPTIONAL FEATURES
COVER
TUBE CHAPS
CHOCK SET
CHROME FREE - ADVANCED PRETREATMENT & POWDER COATING TECHNOLOGY
COLOR BOAT CUSTOMIZATION
BOW BENCH SEAT

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER
FOR FULL FEATURE LIST VISIT OUR WEBSITE

abinflatables.com



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.





7.5 UL

LAMMINA | UL ULTRA LIGHT ALUMINUM TENDERS

Extremely light in weight, small but powerful, designed to delivery performance in style.

Built with the same quality standards as our larger, luxury models, the Lammina UL is our most sophisticated lightweight tender yet.

Created to deliver performance on the water, its open design also creates an interior that is ideal for safely transporting cargo and crew. Ideal for the cruising couple, this tender feature an ultra-lightweight aluminum hull and a stronger CSM Coated Fabric in 820 D-tex which means a higher level of resistance. Its smaller size is perfect for weaving through crowded moorings and exploring shallow bays. When the day's adventure is over, the Lammina UL's davit lifting points make for easier deck storage.

Although the tender is uncoated for minimal maintenance, you can choose to add a Chrome-free Pretreatment and Powder Coating. The UL line hulls are manufactured with key reinceforment points. These include lifting and towing eyes vertically positioned to avoid these from bending and reinforced transom knees.

Four models available from 7.5-10 feet.

PICTURE A
LAMMINA BOATS INCLUDE AN ALUMINUM TRANSOM PROTECTOR WITH AN ENGINE SECURITY LIP AND THREE WELDED DAVIT LIFTING POINTS

PICTURE B
OPTIONAL ALUMINUM BOW BENCH SEAT





B

7.5 UL

NEW

8 UL





OVERALL LENGTH	7' 10" / 2,39m
OVERALL BEAM	4' 11" / 1,50m
INSIDE LENGTH	5' 5" / 1,65m
INSIDE BEAM	2' 2" / 0,66m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	3
WEIGHT	72lbs / 33kg
RECOMMENDED HP	3
MAXIMUM HP	4
SHAFT LENGTH	15" / 38,1cm

OVERALL LENGTH	8' 5" / 2,56m
OVERALL BEAM	4' 11" / 1,50m
INSIDE LENGTH	5' 10" / 1,79m
INSIDE BEAM	2' 2" / 0,66m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	77lbs / 35kg
RECOMMENDED HP	4
MAXIMUM HP	5
SHAFT LENGTH	15" / 38,1cm

9 UL

10 UL



OVERALL LENGTH	9' 1" / 2,76m
OVERALL BEAM	4' 11" / 1,50m
INSIDE LENGTH	6' 3" / 1,90m
INSIDE BEAM	2' 3" / 0,70m
TUBE DIAMETER	16" / 0,41m
PERSON CAPACITY	4
WEIGHT	84lbs / 38kg
RECOMMENDED HP	8
MAXIMUM HP	10
SHAFT LENGTH	15" / 38,1cm

OVERALL LENGTH	10' / 3,05m
OVERALL BEAM	5' 6" / 1,68m
INSIDE LENGTH	7' 2" / 2,18m
INSIDE BEAM	2' 8" / 0,81m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	5
WEIGHT	94lbs / 43kg
RECOMMENDED HP	9.9
MAXIMUM HP	15
SHAFT LENGTH	15" / 38,1cm

AB Rider



Exhilarating fun

- The ultimate water experience.
- Outstanding performance.
- Lightweight and fuel efficient.
- A thrilling and versatile water craft.

AB RIDER | MAIN FEATURES




STANDARD FEATURES
STAINLESS STEEL BOW EYE
UNDER SEAT STORAGE COMPARTMENT
LARGE ANCHOR LOCKER
4 STAINLESS STEEL DAVIT LIFTING POINTS
INTEGRATED JOCKEY SEAT
SOLID SINGLE RUB RAIL
FULLY UPHOLSTERED SEATING-SPRADLING®
STAINLESS STEEL TOW RINGS
3 LAYER REINFORCED SEAMS
STANDARD RIGGING FROM FACTORY
ORCA (CSM) FABRIC
HAND PUMP
MAINTENANCE KIT
OWNER'S MANUAL
MECHANICAL STEERING SYSTEM
OPTIONAL FEATURES
COVER
COLOR BOAT CUSTOMIZATION

PICTURE A
THE AB RIDER OFFERS AMPLE STORAGE BENEATH THE BOW LOCKER TO HOLD THE FUEL TANK, ANCHOR AND OTHER GOODS.
PICTURE B
THERE IS AMPLE STORAGE SPACE BENEATH THE SEATING AREA.

NOTE: SOME OPTIONAL FEATURES MAY BE AVAILABLE THROUGH THE AB DEALER
FOR FULL FEATURE LIST VISIT OUR WEBSITE
abinflatables.com



AB Rider



OVERALL LENGTH	10' 6" / 3,20m
OVERALL BEAM	5' 9" / 1,76m
INSIDE LENGTH	7' 9" / 2,37m
INSIDE BEAM	2' 10" / 0,86m
TUBE DIAMETER	17" / 0,43m
PERSON CAPACITY	4
WEIGHT	273lbs / 124kg
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" / 50,8cm

AB RIDER JOCKEY STYLE RIDER

The jockey style ultimate water experience, performance-driven and highly durable RIB.

The AB Rider is made for those who turn even the most mundane trips to shore into an exhilarating boat ride.

The powerful and sporty AB Rider is the perfect play-boat for charters and yachts. With water scooter-style seating, great maneuverability, and ample storage options, this versatile boat provides the ultimate experience on the water.

Our fuel-efficient, lightweight tender still offers the durability and safety AB is renowned for, making this jockey console both outstanding in performance and safety.



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



SPECIFICATIONS



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

LENGTH											
OVERALL	ft/in	9' 6"	10' 10"	12' 8"	11' 3,5"	12' 9,5"	14' 3"	15'	14' 8"	11'	12'
	m	2,90	3,30	3,86	3,44	3,90	4,35	4,56	4,47	3,35	3,66
INSIDE	ft/in	7'	8' 1"	10' 2"	9' 8"	10' 08"	12'	13'	13' 4"	8'	9' 2"
	m	2,13	2,45	3,10	2,95	3,25	3,64	3,96	4,06	2,44	2,79
BEAM											
OVERALL	ft/in	5' 7"	5' 8"	5' 10"	5' 10"	5' 11"	6' 4"	6' 7"	6' 8"	6'	6'
	m	1,70	1,72	1,78	1,78	1,80	1,94	2,01	2,03	1,82	1,82
INSIDE	ft/in	2' 9"	2' 9"	2' 11"	2' 10"	3'	3' 3"	3' 4"	3' 7"	2' 10"	2' 10"
	m	0,84	0,84	0,89	0,86	0,91	0,99	1,01	1,10	0,86	0,86
AREA											
INTERNAL AREA	sq.ft.	19,05	22,15	29,70	27,31	31,86	38,42	43,05	48,00	22,59	25,83
	m2	1,77	2,06	2,76	2,54	2,96	3,57	4,00	4,46	2,10	2,40
MAX TUBE DIAMETER											
	ft/in	16"	16"	17"	16"	17"	18"	18"	16" 5"	17"	17"
	m	0,41	0,41	0,43	0,41	0,43	0,46	0,46	0,42	0,43	0,43
NUMBER OF CHAMBERS											
		4	4	4	4	4	5	5	5	3	3
CAPACITY											
PERSONS		4	5	6	5	7	7	8	7	4	5
PAYLOAD	lbs	940	992	1278	1124	1290	1308	1710	1256	1258	1501
	kg	426	450	580	510	585	593	776	570	571	681
WEIGHT											
	lbs	683	728	882	761	959	1102	1257	1841	456	515
	kg	310	330	400	345	435	500	570	835	207	234
ENGINE											
RECOMMENDED	hp	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30	40
	kW	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22,4	29,8
MAX	hp	90	90	170	90	170	170	170	110	40	50
	kW	68	68	127	68	127	127	127	82,0	29,8	37,3
SHAFT LENGTH	in	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	20
	cm	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	50,8	50,8
MAX WEIGHT	lbs	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	242	242
	kg	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	110	110
BUILT-IN TANKS											
GAS	gal	10	10	16	11	11	16	26	72	13	13
	lt	38	38	61	42	42	61	98	19	49	49
WATER	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS											
(LENGTH x WIDTH x HEIGHT)	inch	120x56x38	136x58x40	158x61x41	132x52x34	161x63x39	179x68x43	187x71x45	183x69x63	126x47x37	132x51x28
	cm	305x147x98	345x147x101	401x155x104	335x132x86	409x160x99	455x174x110	475x180x115	465x176x160	320x120x95	335x130x70
RDC DESIGN CATEGORY											
		C	C	C	C	C	C	C	C	C	C

[*] 20" SHAFT ON TWIN ENGINES
[**] 25" SHAFT ON TWIN ENGINES
[***] AVAILABLE IN GAS OR DIESEL I/O AND GAS JET
[****] AVAILABLE FOR SHORT & LONG SHAFT ENGINES
THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY



17 DLX

28 VST



13 DLX	14 DLX	15 DLX	17 DLX WIDEBODY BOWRIDER	19 DLX WIDEBODY BOWRIDER	19 DLX-I/O WIDEBODY BOWRIDER***
--------	--------	--------	--------------------------------	--------------------------------	---------------------------------------

13'	14'	15'	17'	19'	19'
3,96	4,27	4,57	5,18	5,79	5,79
9' 9"	10' 10"	11' 6"	13' 1"	15' 4"	15' 4"
2,97	3,30	3,50	4,00	4,67	4,67

6' 5"	6' 6"	6' 9"	8' 1"	8' 4"	8' 4"
1,95	1,98	2,05	2,46	2,54	2,54
3' 1"	3' 1"	3' 2"	4' 5"	4' 5"	4' 5"
0,94	0,94	0,97	1,35	1,35	1,35

30,05	33,39	36,54	58,13	67,86	67,86
2,79	3,10	3,40	5,40	6,30	6,30

18"	19"	19"	20"	22"	22"
0,46	0,48	0,48	0,51	0,56	0,56

3	5	5	5	5	5
---	---	---	---	---	---

5	6	6	10	12	10
1593	2010	2222	2645	3224	3191
723	912	1008	1200	1463	1448

612	730	766	1250	1639	1551
278	332	348	568	745	705

40	50	60	90	115	150
29,8	37,3	44,8	67,1	85,8	111,9
60	70	75	115	150	220
44,8	52,2	56,0	85,8	111,9	164,1
20	20	20	20	25	N/A
50,8	50,8	50,8	50,8	63,5	N/A
255	257	330	484	491	N/A
116	117	150	220	223	N/A


15	21	27	33	67	67
57	78	102	125	254	254
N/A	9	12	10	20	20
N/A	34	45	38	76	76

148x50x37	157x59x43	169x59x43	192x54x47	216x54x47	216x54x47
375x127x95	400x150x110	430x150x110	490x137x130	550x137x130	550x137x130

C	C	C	C	C	C
---	---	---	---	---	---



Oceanus



12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST WIDEBODY BOWRIDER*	24 VST WIDEBODY BOWRIDER*	28 VST**
--------	--------	--------	--------	--------	--------	---------------------------------	---------------------------------	----------

12'	13'	14'	15'	17'	19'	21' 4"	24'	27' 4"
3,66	3,96	4,27	4,57	5,18	5,79	6,50	7,31	8,33
9' 2"	9' 9"	10' 10"	11' 6"	13' 1"	14' 11"	17' 3"	19' 3"	22' 11"
2,79	2,97	3,30	3,50	3,99	4,55	5,25	5,87	6,99

6' 1"	6' 4"	6' 5"	6' 6"	8' 1"	8' 4"	8' 10"	9' 3"	10' 1"
1,86	1,93	1,96	1,99	2,46	2,53	2,70	2,82	3,07
2' 10"	3' 1"	3' 1"	3' 2"	4' 2"	4' 4"	4' 9"	5' 4"	6' 4"
0,86	0,94	0,94	0,97	1,27	1,32	1,44	1,64	1,93

25,83	30,05	33,39	36,54	58,13	64,65	81,38	103,62	145,21
2,40	2,79	3,10	3,40	5,40	6,01	7,56	9,63	13,49

17"	18"	19"	19"	20"	22"	22"	24"	24"
0,43	0,46	0,48	0,48	0,51	0,56	0,56	0,61	0,61

3	3	5	5	5	5	6	6	6
---	---	---	---	---	---	---	---	---

6	7	8	9	12	15	18	20	25
1699	1759	2184	2277	2942	3901	3881	4525	5034
771	798	991	1033	1335	1770	1764	2053	2284

405	477	510	605	1104	1252	1808	2213	2853
184	217	232	275	502	569	820	1006	1297

40	40	50	60	90	115	150	150	250
29,8	29,8	37,3	44,8	67,1	85,8	111,9	111,9	186,5
50	60	70	75	115	150	225	250	500
37,3	44,8	52,2	56,0	85,8	111,9	167,85	186,5	372,9
20	20	20	20	20	25		25	30
50,8	50,8	50,8	50,8	50,8	63,5	63,5	63,5	76,2
242	255	257	330	484	491	682	814	1241
110	116	117	150	220	223	310	370	564

14	14	14	25	33	44	63	64	189
53	53	53	95	125	167	240	242	715
N/A	N/A	N/A	N/A	10	11	12	12	12
N/A	N/A	N/A	N/A	38	42	45	45	45

132x49x28	146x51x26	156x49x28	169x59x29	200x74x46	213x75x32	246x84x56	276x87x35	323x113x47
335x125x70	370x130x70	395x125x70	430x150x73	508x188x117	540x190x80	625x214x143	700x220x90	820x288x120

C	C	C	C	C	C	C	B	B
---	---	---	---	---	---	---	---	---



ABJET 350 XP

SPECIFICATIONS



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

		Mares			Navigo					
										
		10 VSX	11 VSX	12 VSX	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS
LENGTH										
OVERALL	ft/in	10' 6"	11' 4"	12'	8' 6"	9' 6"	10' 6"	12'	13'	14'
	m	3,19	3,45	3,66	2,60	2,90	3,19	3,66	3,96	4,27
INSIDE	ft/in	7' 7"	8' 1"	8' 9"	5' 10"	6' 9"	7' 7"	8' 9"	9' 9"	10' 10"
	m	2,31	2,47	2,67	1,79	2,06	2,31	2,67	2,97	3,30
BEAM										
OVERALL	ft/in	5' 7"	5' 9"	6'	5' 4"	5' 7"	5' 7"	6'	6' 4"	6' 4"
	m	1,72	1,77	1,82	1,64	1,72	1,72	1,82	1,94	1,94
INSIDE	ft/in	2' 8"	2' 8"	2' 9"	2' 4"	2' 8"	2' 8"	2' 9"	3' 1"	3' 1"
	m	0,81	0,81	0,84	0,72	0,81	0,81	0,84	0,94	0,94
AREA										
INTERNAL AREA	sq.ft.	20,14	21,54	24,14	13,87	17,96	20,14	24,14	30,05	33,39
	m2	1,87	2,00	2,24	1,29	1,67	1,87	2,24	2,79	3,10
MAX TUBE DIAMETER										
	ft/in	17"	18"	18"	16"	17"	17"	18"	18"	19"
	m	0,43	0,46	0,46	0,41	0,43	0,43	0,46	0,46	0,48
NUMBER OF CHAMBERS										
		3	3	3	3+1	3+1	3+1	3+1	3+1	4+1
CAPACITY										
PERSONS		4	4	5	4	4	5	6	7	8
PAYLOAD	lbs	1408	1878	1895	1087	1358	1470	1935	1942	2347
	kg	639	851	860	493	616	667	878	881	1065
WEIGHT										
	lbs	287	317	337	125	152	169	202	293	348
	kg	130	144	153	57	69	77	92	133	158
ENGINE										
RECOMMENDED	hp	25	30	30	8	9,9	15	20	30	40
	kW	18,7	22,4	22,4	6,0	7,4	11,2	14,9	22,4	29,8
MAX	hp	30	40	40	10	15	25	30	40	50
	kW	22,4	29,8	29,8	7,5	11,2	18,7	22,4	29,8	37,3
SHAFT LENGTH	in	15 - 20	20	20	15	15	15	15 - 20	20	20
	cm	38,1 - 50,8	50,8	50,8	38,1	38,1	38,1	38,1 - 50,8	50,8	50,8
MAX WEIGHT	lbs	176	200	200	106	121	176	183	242	253
	kg	80	100	100	48	55	80	83	110	115
BUILT-IN TANKS										
GAS	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS										
(LENGTH x WIDTH x HEIGHT)	inch	118x43x18	125x44x33	136x45x18	92x43x18	106x43x18	118x43x18	136x45x18	144x49x26	156x49x28
	cm	300x110x45	317x111x85	345x115x45	235x110x45	270x110x45	300x110x45	345x115x45	365x125x65	395x125x70
RDC DESIGN CATEGORY										
		C	C	C	C	C	C	C	C	C

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY.




11 VSX



14 VS



			Ventus				Alumina					
												
15 VS	17 VS	19 VS	8 VL	9 VL	10 VL	12 VL	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX
15'	17'	19'	8' 6"	9' 6"	10' 6"	12'	9' 6"	10' 6"	11' 6"	12'	13'	14'
4,57	5,18	5,79	2,60	2,90	3,19	3,66	2,90	3,19	3,50	3,66	3,96	4,27
11'6"	13'1"	15'2"	5' 10"	6' 9"	7' 7"	8' 9"	6' 11"	7' 6"	8' 6"	8' 10"	9'10"	10' 10"
3,50	4,00	4,62	1,79	2,06	2,31	2,67	2,11	2,30	2,60	2,70	3,00	3,30
6'6"	8'1"	8'4"	5' 6"	5' 7"	5' 7"	5' 10"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"	6' 7"
1,99	2,46	2,53	1,68	1,72	1,72	1,77	1,68	1,68	1,70	1,85	2,00	2,00
3'2"	4'4"	4'1"	2' 4"	2' 8"	2' 8"	2' 9"	2' 6"	2' 8"	2' 8"	2' 11"	3'3"	3'3"
0,97	1,33	1,25	0,72	0,81	0,81	0,84	0,76	0,81	0,81	0,89	0,99	0,99
36,54	57,26	62,16	13,87	17,96	20,14	24,14	17,26	20,05	22,67	25,87	31,97	35,17
3,40	5,32	5,78	1,29	1,67	1,87	2,24	1,60	1,86	2,11	2,40	2,97	3,27
19"	20"	22"	16"	17"	17"	18"	17"	17"	17"	18"	18"	19"
0,48	0,50	0,56	0,41	0,43	0,43	0,46	0,43	0,43	0,43	0,46	0,46	0,48
5	5	5	3+1	3+1	3+1	3+1	3	3	3	3	3	4
11	15	15	4	4	5	6	5	5	5	6	7	8
2557	2964	3998	1115	1393	1514	1975	1333	1441	1576	1920	1997	2268
1160	1345	1814	506	632	687	896	637	654	715	871	906	1029
484 *	772 *	1157	95	106	123	156	236	255	284	315	386	408
220 *	350*	526	43	48	56	71	107	116	129	143	175	185
60	75	115	8	9,9	15	20	15	15	20	25	30	40
44,8	56,0	85,8	6,0	7,4	11,2	14,9	11,2	11,2	14,9	18,7	22,4	29,8
75	90	150	10	15	25	30	25	25	30	30	40	50
56,0	67,0	111,9	7,5	11,2	18,7	22,4	18,7	18,7	22,4	22,4	29,8	37,3
20	20	25	15	15	15	15	20	20	20	20	20	20
50,8	50,8	63,5	38,1	38,1	38,1	38,1	50,8	50,8	50,8	50,8	50,8	50,8
330	365	515	106	121	176	183	143	132	132	183	183	242
150	166	234	48	55	80	83	65	60	60	83	83	110
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
169x59x43	192x54x47	156x49x28	93x43x18	106x43x18	118x43x18	136x45x18	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32	159x47x32
430x150x110	490x137x130	395x125x70	235x110x45	270x110x45	300x110x45	345x115x45	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82	405x120x82
C	C	C	C	C	C	C	C	C	C	C	C	C



SPECIFICATIONS



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

		Alumina			Lamina AL						
											
		15 ALX	16 ALX	18 ALX	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL
LENGTH											
OVERALL	ft/in	15'	16'	18'	8' 5"	9' 1"	9' 6"	10' 6"	11' 6"	12'	13'
	m	4,57	4,88	5,49	2,56	2,76	2,90	3,19	3,50	3,66	3,96
INSIDE	ft/in	11' 8"	13' 2"	14'8"	5' 10"	6' 3"	6' 11"	7' 6"	8' 6"	8' 10"	9'10"
	m	3,55	3,85	4,47	1,79	1,90	2,11	2,30	2,60	2,70	3,00
BEAM											
OVERALL	ft/in	6' 9"	7'	7'10"	4' 9"	4' 9"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"
	m	2,06	2,14	2,40	1,45	1,45	1,68	1,68	1,70	1,85	2,00
INSIDE	ft/in	3' 4"	3' 6"	4'3"	2'	2' 2"	2' 6"	2' 8"	2' 8"	2' 11"	3'3"
	m	1,03	1,08	1,30	0,62	0,66	0,76	0,81	0,81	0,89	0,99
AREA											
INTERNAL AREA	sq.ft.	39,36	44,76	62,53	11,95	13,50	17,26	20,05	22,67	25,87	31,97
	m2	3,66	4,16	5,81	1,11	1,25	1,60	1,86	2,11	2,40	2,97
MAX TUBE DIAMETER											
	ft/in	19"	20"	21"	16"	16"	17"	17"	17"	18"	18"
	m	0,48	0,51	0,53	0,41	0,41	0,43	0,43	0,43	0,46	0,46
NUMBER OF CHAMBERS											
		5	5	5	3	3	3	3	3	3	3
CAPACITY											
PERSONS		9	10	12	4	4	5	5	6	6	7
PAYLOAD	lbs	2557	2599	3053	1042	1089	1404	1519	1644	2032	2092
	kg	1160	1179	1385	473	494	637	689	746	922	949
WEIGHT											
	lbs	481	534	895	84	88	109	131	172	198	220
	kg	218	242	406	38	40	49	59	78	90	100
BOAT W/ OPTIONAL BOW LOCKER	lbs				97	103	125	144	187	213	235
	kg				44	47	57	65	85	97	107
ENGINE											
RECOMMENDED	hp	50	50	90	4	8	8	10	20	25	30
	kW	37,3	37,3	67,1	3,0	6,0	6,0	7,5	14,9	18,7	22,4
MAX	hp	60	70	115	6	10	15	20	30	30	40
	kW	44,8	52,2	85,8	4,5	7,5	11,2	14,9	22,4	22,4	29,8
SHAFT LENGTH	in	20	20	25	15	15	15	15	20	20	20
	cm	50,8	50,8	63,5	38,1	38,1	38,1	38,1	50,8	50,8	50,8
MAX WEIGHT	lbs	242	253	484	62	106	121	132	132	183	183
	kg	110	115	220	28	48	55	60	60	83	83
BUILT-IN TANKS											
GAS	gal/lt	N/A	N/A	32/120	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER	gal/lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS											
(LENGTH x WIDTH x HEIGHT)	inch	167x47x32	182x55x32	214x71x38	91x44x19	96x44x19	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32
	cm	425x120x82	463x140x82	544x180x97	231x113x47	245x113x47	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82
RDC DESIGN CATEGORY											
		C	C	C	C	C	C	C	C	C	C

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY.




12 AL | SUPERLIGHT



8 UL



			Lamina UL				AB Rider		
									
14 AL	15 AL	16 AL	7.5 UL	8 UL	9 UL	10 UL	ABJET 430 XP 		
14'	15'	16'	7' 10"	8' 5"	9' 1"	10'			10' 6"
4,27	4,57	4,88	2,39	2,56	2,76	3,05			3,20
10' 10"	11' 8"	13' 2"	5'5"	5' 10"	6' 3"	7' 2"			7' 9"
3,30	3,55	4,00	1,65	1,79	1,90	2,18			2,37
6' 7 "	6' 9"	7'	4'11"	4' 11"	4' 11"	5' 6"			5' 9 "
2,00	2,06	2,14	1,50	1,50	1,50	1,68			1,76
3'3"	3' 4"	3' 6"	2'2"	2' 2"	2' 3"	2' 8"			2' 10"
0,99	1,03	1,08	0,66	0,66	0,70	0,81			0,86
35,17	39,36	46,50	11,72	12,72	14,32	19,01	21,94		
3,27	3,66	4,32	1,09	1,18	1,33	1,77	2,04		
19"	19"	20"	16"	16"	16"	17"	17"		
0,48	0,48	0,51	0,41	0,41	0,41	0,43	0,43		
4	5	5	2	2	2	3	3		
8	9	10	3	4	4	5	4		
2391	2607	2709	815	882	1036	1300	1344		
1085	1183	1229	370	400	470	590	610		
246	339	370	72	77	84	94	273		
112	154	168	33	35	38	43	124		
274	357	401	N/A	N/A	N/A	N/A	N/A		
124	162	182	N/A	N/A	N/A	N/A	N/A		
40	50	50	3	4	8	9,9	25		
29,8	37,3	37,3	2,2	3,0	6,0	7,4	18,7		
50	60	70	4	5	10	15	30		
37,3	44,8	52,2	2,9	3,8	7,5	11,2	22,4		
20	20	20	15	15	15	15	20		
50,8	50,8	50,8	38,1	38,1	38,1	38,1	50,8		
242	242	253	62	62	121	121	183		
110	110	115	28	28	55	55	83		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
159x47x32	167x47x32	182x55x32	86x41x18	91x44x19	96x44x19	119x44x19	125x43x37		
405x120x82	425x120x82	463x140x82	218x104x46	231x113x47	245x113x47	302x113x47	315x110x94		
C	C	C	C	C	C	C	C		



AB RIDER

PERSONS & LOAD CAPACITIES WILL VARY WHEN BOAT IS RIGGED WITH NON STANDARD ACCESSORIES. THE MAXIMUM PAYLOAD & PERSON CAPACITY HAS BEEN CALCULATED ACCORDING TO ISO & ABYC STANDARDS. OPERATING AT OR NEAR MAXIMUM CAPACITIES IS ONLY ADVISED IN CALM WATER AND AT REDUCED SPEEDS. ALL DIMENSIONS IN ACCORDANCE WITH ISO 6185 AND ISO 8666. APPROXIMATE WEIGHT HAS A TOLERANCE OF +/- 5% AND INCLUDES ALL STANDARD ACCESSORIES EXCEPT ON MODELS VS,VL & AL WHICH IS FOR BARE BOAT ONLY. ADD APPROXIMATELY 45LBS TO CONSOLE BOATS FOR ACCESSORIES LIKE: BATTERY, FUEL/WATER FILTER, BILGE PUMP, STEERING SYSTEM & FIRE EXTINGUISHER. ALL DIMENSIONS ARE + OR -3%. SOME MODELS SHOWN MAY FEATURE NON-STANDARD EQUIPMENT. SEE STANDARD AND OPTIONAL EQUIPMENT LISTINGS FOR FULL DETAILS.

THE PHOTOGRAPHS IN THIS BROCHURE WERE TAKEN UNDER CONTROLLED CONDITIONS, USING PROFESSIONAL OPERATORS. YOU SHOULD NEVER ATTEMPT ANY SPEEDS OR MANEUVERS WHICH ARE BEYOND YOUR CAPABILITIES, NOR WHICH ARE POTENTIALLY HAZARDOUS. WE STRONGLY SUGGEST USING RECOMMENDED HP'S ON THE BOAT. YOU SHOULD CONSULT YOUR LOCAL DEALER REGARDING SAFETY AND WEIGHT ISSUES BEFORE PUTTING MAXIMUM HP'S ON YOUR BOAT. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE, ALTHOUGH ALL DETAILS SHOWN ARE ACCURATE AT THE TIME OF GOING TO PRESS. FOLLOWING A PROGRAM OF CONTINUOUS IMPROVEMENT, AB RESERVES THE RIGHT TO DELETE OR MODIFY ANY OF THE PRODUCTS IN THIS BROCHURE WITHOUT NOTICE.



FEATURES

STANDARD FEATURES ●
OPTIONAL FEATURES ○



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.

Nautilus



	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX WIDEBODY BOWRIDER	19 DLX WIDEBODY BOWRIDER	19 DLX-I/O WIDEBODY BOWRIDER***	12 VST
CUP HOLDERS	●	●	●	●	●	●			
STANDARD IN HOUSE ELECTRICAL RIGGING	●	●	●	●	●	●	●	●	●
BENCH SEAT WITH STORAGE									
USB PORT	●	●	●	●	●	●	●	●	
BOW EYE	●	●	●	●	●	●	●	●	●
BOW HATCH CUSHION	●	●	●	●	●	●	●	●	●
BOW RAILS-STAINLESS STEEL	●	●	●	●	●	●	●	●	
BOW SEAT WITH STORAGE	●	●	●	●	●	●	●	●	●
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK									
BOW SEATING W/UPHOLSTERED BACK SUPPORT	●	●	●	●	●	●	●	●	
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	●	●	●	●	●	●	●	●	
BOW STEP W/ CUSHION & SS FOLD DOWN CLEAT									●
BOWRIDER SEATING STYLE						●	●	●	
12V DC SOCKET	●	●	●	●	●	●	●	●	
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	2	2	2	2	2	2	2	2	2
SLIM LOW CONSOLE-W/SS GRAB HANDLE & W.SHIELD									
CONSOLE WITH SS GRAB RAIL & WINDSHIELD	●	●	●	●	●	●	●	●	
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL									
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT									●
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL									
COOLER / STORAGE WITH DRAIN (BUILT-IN)		●	●	●	●	●	●	●	
DAVIT LIFTING RINGS	3	3	3	3	3	3	3	3	4
FRESH WATER TANK W/ SHOWER SYSTEM				●	●	●	●	●	
FUEL TANK (UNDERDECK)- ALUMINUM	●	●	●	●	●	●	●	●	●
GRAB HANDLES ON TUBES-STAINLESS STEEL									●
HAND PUMP/ REPAIR KIT	●	●	●	●	●	●	●	●	●
HELM SEAT-STAINLESS STEEL									
JOCKEY CONSOLE (2 PERSON)									
LEANING BOLSTER							●		
COURTESY LIGHTS	●	●	●	●	●	●	●	●	
LED NAVIGATION AND LED ANCHOR LIGHTS				●	●	●	●	●	●
ANCHOR LIGHTS, LED NAVIGATION LIGHTS	●	●	●						
SEADEK® EVA FOAM NON SKID FLOOR									
SEADEK® FOAM TEAK									
SYNTHETIC TEAK	○	○	○	○	○	○	○	○	○
NON SKID DECK-DIAMOND SHAPE	●	●	●	●	●	●	●	●	●
GAS SPRINGS	●	●	●	●	●	●	●	●	●
OARS & OARLOCKS									
PADDLES									
SEAT (REMOVABLE)									
SUNBATHING BED					○	●	●	●	
TIE DOWN EYES	●	●	●	●	●	●	●	●	
TOWING RINGS-BOW									
TOWING RINGS-STERN	2	2	2	2	2	2	2	2	2
TRANSOM LADDER			○	○	○	●			
T-TOP									
TUBE CHAPS									
HYDRAULIC STEERING SYSTEM	○	○	○	●	●	●	●	●	○
MECHANICAL STEERING SYSTEM	●	●	●						●
HEIGHT ADJUSTABLE STEERING WHEEL	●	●	●	○	○	●	●	●	
FULLY UPHOLSTERED SEATING-SPRADLING	●	●	●	●	●	●	●	●	●

FOR ADDITIONAL INFORMATION AND
LISTING OF WORLDWIDE DEALERS,
PLEASE VISIT OUR WEB SITE.

abinflatables.com



12 DLX



17 DLX

Oceanus

Mares

Navigo



13 VST	14 VST	15 VST	17 VST	19 VST	21 VST WIDEBODY BOWRIDER*	24 VST WIDEBODY BOWRIDER*	28 VST**	10 VSX	11 VSX	12 VSX	8 VS	9 VS	10 VS
			○	●	●	●		●	●	●			
●	●	●	●	●	●	●	●	●	●	●		○	○
												○	○
			●	●	●	●	●						
●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	○	○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●
									○			○	○
								○	○	○	○	○	○
●	●	●	●	●	●	●	●						
			○		●	●	○						
			●	●	●	●	●						
2	2	2	2	2	2	2	2	○	○	○	○	○	○
												○	○
●	●	●	●	●		●	●						○
○	○	○	○		●	●							○
4	4	4	4	4	○	○	○	4	4	4	4	4	4
●	●	●	●	●	●	●	●						
●	●	●	○	●									
●	●	●	●	●	●	●	●	●	●	●	●	●	●
													○
				●	●	●	●						
●	●	●	○	●	●	●	●	●	●	●		○	○
				●	●	●	●						
○	○	○	○	○	○	○	○	○	○	○			
●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●			
											●	●	●
			○		○								
2	2	2	2	2	2	2	2	2	2	2	2	2	2
			●	●	●		●						
				○	○	○	○				○	○	○
○	○	○	●	●	●	●	●	○	○	○			
●	●	●						●	●	●		○	○
			○	○	○	○	●						
●	●	●	●	●	●	●	●	●	●	●		○	○



17 VST



21 VST



11 VSX

FEATURES

STANDARD FEATURES ●
OPTIONAL FEATURES ○



EVERY AB INFLATABLE BOAT IS
BACKED BY A TEN-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.

Navigo



Ventus



Alumina

12 VS

13 VS

14 VS

15 VS

17 VS

19 VS

8 VL

9 VL

10 VL

12 VL

9.5 ALX

10 ALX

CUP HOLDERS

STANDARD IN HOUSE ELECTRICAL RIGGING

BENCH SEAT WITH STORAGE

USB PORT

BOW EYE

BOW HATCH CUSHION

BOW RAILS-STAINLESS STEEL

BOW SEAT WITH STORAGE

BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK

BOW SEATING W/UPHOLSTERED BACK SUPPORT

BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT

BOW STEP W/ CUSHION & SS FOLD DOWN CLEAT

BOWRIDER SEATING STYLE

12V DC SOCKET

LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)

SLIM LOW CONSOLE-W/SS GRAB HANDLE & W.SHIELD

CONSOLE WITH SS GRAB RAIL & WINDSHIELD

CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL

CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT

CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL

COOLER / STORAGE WITH DRAIN (BUILT-IN)

DAVIT LIFTING RINGS

FRESH WATER TANK W/ SHOWER SYSTEM

FUEL TANK (UNDERDECK)- ALUMINUM

GRAB HANDLES ON TUBES-STAINLESS STEEL

HAND PUMP/ REPAIR KIT

HELM SEAT-STAINLESS STEEL

JOCKEY CONSOLE (2 PERSON)

LEANING BOLSTER

COURTESY LIGHTS

LED NAVIGATION AND LED ANCHOR LIGHTS

ANCHOR LIGHTS, LED NAVIGATION LIGHTS

SEADEK® EVA FOAM NON SKID FLOOR

SEADEK® FOAM TEAK

SYNTHETIC TEAK

NON SKID DECK-DIAMOND SHAPE

GAS SPRINGS

OARS & OARLOCKS

PADDLES

SEAT (REMOVABLE)

SUNBATHING BED

TIE DOWN EYES

TOWING RINGS-BOW

TOWING RINGS-STERN

TRANSOM LADDER

T-TOP

TUBE CHAPS

HYDRAULIC STEERING SYSTEM

MECHANICAL STEERING SYSTEM

HEIGHT ADJUSTABLE STEERING WHEEL

FULLY UPHOLSTERED SEATING-SPRADLING

FOR ADDITIONAL INFORMATION AND
LISTING OF WORLDWIDE DEALERS,
PLEASE VISIT OUR WEB SITE.


abinflatables.com



14 VS



9 VL



Lamina AL																
11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL
						○										
●	●	●	●	●	●	●				○	○	○	○	○	○	○
●	●	●	●	●	●	●				○	○	○	○	○	○	○
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●										
						●	○	○	○	○	○	○	○	○	○	○
●	●	●	●	●	●		○	○	○	○	○	○	○	○	○	○
									○	○	○	○	○	○	○	○
●	●	●	●	●	●	●										
						○										
2	2	2	2	2	2	2	○	○	○	○	○	○	○	○	○	○
										○	○	○	○	○	○	○
		●	●	●	●	●							○	○	○	○
●	●		○	○	○	○					○	○	○	○	○	○
		○	○	○	○	○							○	○	○	○
4	4	4	4	4	4	4	3	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4
						●										
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
○	○	○	○	○	○	○				○	○	○	○	○	○	○
						○					○	○	○	○	○	○
		●	●	●	●	●							○	○	○	○
●	●						●	●	●	○	○	○				
●	●	●	●	●	●	●	○	○	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●										
							●	●	●	●						
							●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●				●	●	●	●	●	●	●
2	2	2	2	2	2	2	●	●	●	●						
									2	2	2	2	2	2	2	2
○	○	○	○	○	○	●	○	○	○	○	○	○	○	○	○	○
●	●	●	●	●	●					○	○	○	○	○	○	○
						○										
●	●	●	●	●	●	●				○	○	○	○	○	○	○



9.5 ALX



13 AL



12 AL

FEATURES

- STANDARD FEATURES
- OPTIONAL FEATURES



EVERY AB INFLATABLE BOAT IS BACKED BY A TEN-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.

Lammina UL

AB Rider

ABJET®



	7.5 UL	8 UL	9 UL	10 UL			ABJET 290 S	ABJET 330 S
CUP HOLDERS						INTEGRATED MARINE GRADE ALUMINUM FUEL TANK	●	●
STANDARD IN HOUSE ELECTRICAL RIGGING					●	DIAMOND NON-SKID DECK	●	●
BENCH SEAT WITH STORAGE						REAR SEAT WITH AMPLE STORAGE	●	●
USB PORT						DUAL PILOT SEAT		
BOW EYE	●	●	●	●	●	DUAL REAR SEAT (UP TO 4 PEOPLE)		
BOW HATCH CUSHION						FULLY UPHOLSTERED SEATING-SPRADILNG®	●	●
BOW RAILS-STAINLESS STEEL						CONSOLE WITH FORWARD SEAT	●	●
BOW SEAT WITH STORAGE						CONSOLE WITH FORWARD SEAT & STORAGE		
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK						ANODIZED ALUMINUM RETRACTABLE ARMRESTS		
BOW SEATING W/UPHOLSTERED BACK SUPPORT						INTEGRATED BOW LOCKER		●
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT				○		REMOVABLE LATERAL SEAT		
BOW STEP W/ CUSHION & SS FOLD DOWN CLEAT						EASY PORT & STARBOARD ACCESS	●	●
BOWRIDER SEATING STYLE						STAINLESS STEEL PORT / STARBOARD HAND RAILS	●	●
12V DC SOCKET						INTEGRATED STAINLESS STEEL STERN RAILS		
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)						AMPLE ENGINE ACCESS	●	●
SLIM LOW CONSOLE-W/SS GRAB HANDLE & W.SHIELD						STAINLESS STEEL BOW EYE	●	●
CONSOLE WITH SS GRAB RAIL & WINDSHIELD						FIBERGLASS BOW STEP W/CUSHION & SS FOLDABLE CLEAT		○
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL						FIBERGLASS BOW STEP & SS FOLDABLE CLEAT	○	
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT						2 STERN STAINLESS STEEL FOLDABLE CLEATS	●	●
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL						STAINLESS STEEL DAVIT LIFTING POINTS	3	4
COOLER / STORAGE WITH DRAIN (BUILT-IN)						STAINLESS STEEL SKI-EYE & STERN HAND RAIL	●	●
DAVIT LIFTING RINGS	3	3	3	3	4	SS REMOVABLE SKI-POLE & STERN HAND RAIL		
FRESH WATER TANK W/ SHOWER SYSTEM						BATTERY BOX	●	●
FUEL TANK (UNDERDECK)- ALUMINUM						RECESSED CUP HOLDERS	●	●
GRAB HANDLES ON TUBES-STAINLESS STEEL						WATER TIGHT ENGINE COMPARTMENT SEAL	●	●
HAND PUMP/ REPAIR KIT	●	●	●	●	●	BOARDING POLE & SOCKETS (PORT AND STARBOARD)		
HELM SEAT-STAINLESS STEEL						BUILT-IN COOLER / STORAGE WITH DRAIN		
JOCKEY CONSOLE (2 PERSON)						ORCA ® (CSM) FABRIC	●	●
LEANING BOLSTER						NON-CORROSIVE PUSH-PUSH INFLATION VALVES	●	●
COURTESY LIGHTS						SINGLE SOLID RUB RAIL	●	●
LED NAVIGATION AND LED ANCHOR LIGHTS						DOUBLE SOLID RUB RAIL		
ANCHOR LIGHTS, LED NAVIGATION LIGHTS						REINFORCED EXTERNAL SEAMS	●	●
SEADEK® EVA FOAM NON SKID FLOOR	●	●	●	●		ORCA ® (CSM) FABRIC HANDLE ON TUBES		●
SEADEK® FOAM TEAK						SELF BAILING DECK SYSTEM WITH NON-RETURN VALVES	●	●
SYNTHETIC TEAK						STAINLESS STEEL DRAIN PLUGS	●	●
NON SKID DECK-DIAMOND SHAPE					●	AUTOMATIC FIRE EXTINGUER	●	●
GAS SPRINGS						SAFETY LANYARD SWITCH	●	●
OARS & OARLOCKS	●	●	●	●		AUTOMATIC 500 BILGE PUMP	●	●
PADDLES						AUTOMATIC 750 BILGE PUMP		
SEAT (REMOVABLE)	●	●	●	●		REMOVABLE POLE LED NAVIGATION LIGHT	●	●
SUNBATHING BED						STAINLESS STEEL LED NAVIGATION LIGHT		
TIE DOWN EYES						REMOVABLE POLE LED ANCHOR LIGHT	●	●
TOWING RINGS- BOW						POWER REDUCTION KEY		
TOWING RINGS-STERN					2	BATTERY SWITCH	●	●
TRANSOM LADDER						MAINTENANCE-FREE BATTERY	●	●
T-TOP						ENGINE COMPARTMENT IN-LINE BLOWER	●	●
TUBE CHAPS	○	○	○	○		SPORT STEERING WHEEL	●	●
HYDRAULIC STEERING SYSTEM						MECHANIC STEERING SYSTEM	●	●
MECHANICAL STEERING SYSTEM					●	HYDRAULIC STEERING SYSTEM		
HEIGHT ADJUSTABLE STEERING WHEEL						STYLISH ADJUSTABLE STEERING WHEEL		
FULLY UPHOLSTERED SEATING-SPRADLING	○	○	○	○	○	COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS	●	●

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS, PLEASE VISIT OUR WEB SITE.

abinflatables.com



7.5 UL



AB RIDER

	ABJET 380 S	ABJET 350 XP	ABJET 390 XP	ABJET 430 XP	ABJET 465 XP	ABJET 450 DIESEL		ABJET 290 S	ABJET 330 S	ABJET 380 S	ABJET 350 XP	ABJET 390 XP	ABJET 430 XP	ABJET 465 XP	ABJET 450 DIESEL
	●	●	●	●	●	●	USB PORT	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	12 V DC SOCKET	●	●	●	●	●	●	●	●
	●					●	CONTROL PANEL (INCLUDES FUEL GAUGE)	●	●	●	●	●	●	●	
						●	YANMAR YD42 DIGITAL GAUGE								●
		●	●	●	●		RAYMARINE AXIOM 7 (7" TOUCH SCREEN MULTIFUNCTION DISPLAY)								●
	●	●	●	●	●	●	SHIFT CONTROL	●	●	●	●	●	●		
				●	●		ELECTRONIC SHIFT CONTROL							●	
	●		●				SINGE LEVER THROTTLE WITH ELECTRONIC CONTROL								●
						●	SS GAS SPRING FOR ENGINE COMPARTMENT	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	UNDER PLATFORM SLIDINGS SS LADDER	●	●	●	●	●	●	●	●
		●	●				HAND PUMP & MAINTENANCE KIT	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	OWNER'S MANUAL	●	●	●	●	●	●	●	●
	●						ENGINE	ROTAX R ACE 90 ECT (90HP)	ROTAX R ACE 90 ECT (90HP)	ROTAX R ACE 170 ECT (170HP)	ROTAX R ACE 90 ECT (90HP)	ROTAX R ACE 170 ECT (170HP)	ROTAX R ACE 170 ECT (170HP)	ROTAX R ACE 170 ECT (170HP)	YANMAR 4JH110 (110HP)
	●	●	●	●	●	●									
	●	●	●	●	●	●									
	●	○	●	●	●	●									
							CATALYTIC EXHAUST SYSTEM	●	●	●	●	●	●	●	
		○	●	●	●	●	MUFFLER & SILENCER	●	●	●	●	●	●	●	●
							SYNTHETIC TEAK	○	○	○	○	○	○	○	○
	●	●	●	●	●	●	BOAT COVER	○	○	○	○	○	○	○	○
4	3	3	3	3	3	3	SUNBED						○	○	
●							TELESCOPIC PADDLE	○	○	○	○	○	○	○	○
	●	●	●	●	●	●	STEREO SYSTEM & COMPASS	○	○	○	○	○	○	○	○
	●	●	●	●	●	●	GPS CHART PLOTTER / SOUNDER	○	○	○	○	○	○	○	
	●	●	●	●	●	●	STAINLESS STEEL TIE DOWNS	○	○	○	○	○	○	○	○
	●	●	●	●	●	●	QUICK RELEASE WHEEL	○	○	○	○	○	○	○	●
						●	BIMINI KIT	○	○	○	○	○	○	○	○
			●	●	●		STAINLESS STEEL ANCHOR	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	NAME ON UPHOLSTERY	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	NAME ON TUBE	○	○	○	○	○	○	○	○
●	●	●					LED COURTESY LIGHTS	○	○	○	○	○	○	○	○
				●	●	●	BATTERY CHARGER	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	TWIN BATTERY INSTALLATION								○
●	●	●	●	●	●	●	VHF & ANTENNA	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	UPHOLSTERY & INFLATABLE TUBE COLOR OPTIONS	○	○	○	○	○	○	○	○
●	●	●	●	●	●	●	HEIGHT ADJUSTABLE STEERING WHEEL	○	○	○	●	●	●	●	●
●	●	●	●	●	●	●	SINGLE POINT LIFT								○
●	●	●	●	●	●	●	FRESH WATER SYSTEM								○
●	●	●	●	●	●										
		●				●									
●	●		●	●	●	●									
●	●		●	●	●	●									
●	●		●	●	●	●									
●	●		●	●	●	●									
●	●		●	●	●	●									
●	●		●	●	●	●									
●	●		●	●	●	●									
●	●		●	●	●	●									



BOAT SMART FROM THE START!

TAKE A BOATING EDUCATION COURSE, AND GET A VESSEL SAFETY CHECK FOR YOUR BOAT. FOR MORE INFORMATION CONTACT **U.S. COAST GUARD AUXILIARY**: (877) 875 6296, (800) 368 5647 OR WWW.CGAUX.ORG / **U.S. POWER SQUADRONS**: (888) 367 8777 OR WWW.USPS.ORG

REMEMBER: BE SURE THERE IS A PERSONAL FLOTATION DEVICE (PFD) FOR YOU AND EACH OF YOUR PASSENGERS. WE RECOMMEND THE USE OF PFDs DURING ALL BOAT OPERATIONS. PFDs SHOULD BE WORN BY EVERY ONE ON BOARD AT ALL TIMES.

REMEMBER: ALWAYS ATTACH THE STOP-SWITCH SAFETY LANYARD TO YOUR WRIST BEFORE STARTING THE MOTOR AND DURING BOAT OPERATION. BEFORE SETTING OUT, CHECK THAT THE STOP-SWITCH LANYARD IS WORKING PROPERLY AND SHUTS OFF THE ENGINE WHEN PULLED.