


11 DLX

Luxury Console Tenders

Bash Stanlah A-44



	Overal Length	:	11′/ 3.35m	Number of Chambers	:	3	Shaft Length	: 20″/ 50.8cm
S	Overal Beam	:	6′/ 1.82m	Person Capacity	:	4	Gas Built in Tank	: 13 Gal / 49 L
ш	Inside Length	:	8′/ 2.44m	Weight	:	456lb / 207kg	RDC Design Category	: C
SP	Inside Beam	:	2´10"/ 0.86m	Recommended HP	:	30hp / 22.4kw		
	Tube Diameter	:	17″/ 0.43m	Maximum HP	:	40hp / 29.8kw		

ΩS

പ ന

Чĸ

ΟΟ

z⊢

 $\triangleleft \triangleleft$

⊢ш

νщ

л с

ЧШ

ZĽ

0⊃

⊢∢

ு ய

Оц

- Removable Lateral Seat Height Adjustable Steering Wheel Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank Plastic External Transom Plate Aluminum Internal Transom Plate Splash well, Draining Push Push Plastic Non-Corrosive 2 Stage Inflation Valves One All Integrated Deck with Bow Front & Lateral Cushions Solid Single Rub Rail Orca (CSM) Five Laver Coated Fabrir

- Orca (CSM) Five Layer Coated Fabric Sporty Console Look Design with SS Hand Rail Plexiglass Windshield Stainless Steel Rear Seat Port/Starboard Hand Rail
- 2 SS Cup Holder

- Hand Pump Maintenance Kit Owner's Manual
- Owner's Manual Fully Upholstered Seating Spradling Port Boat Entrance Step with Diamond Non-Skid Shape Integrated Fiberglass Console with Forward & Lateral Seat & Cushion Molded-In Stern Seat & Cushion with Armrest & Large Storage
- 3 Deck Drains Hull Drain with Plug
- Bow Locker/Seat Bow Hatch Cushion
- Console with Rotating Access
- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights 360° White Anchor Light Pole Integrated Stainless Steel Bow Port & Starboard Hand Rails Ample Stern Platform with SS Retracting Cleats 3 Stainless Steel Davit Lifting Points

Stainless Steel Tie Down & Towing Rings
 Stainless Steel Transom Tie Down & Towing Rings
 Stainless Steel Bow Eye
 Luxury Look Pannel

WYAMAH

- 4 Waterproof Rocker Switches with Circuit Brakers Battery Box

- Battery Switch Fuel and Water Separator Filter
 - Fuel Sending Unit Automatic Bilge Pump 500 GPH
- Automatic Bige Pump Sou GPH
 Battery Charger (Subject to Country of Delivery)
 Mechanical Steering System
 Stainless Steel Steering Wheel
 Complete Tin Wiring & Heat Shrink Seal Terminals
 3 Layer Reinforced Seams
 Stainless Steel Gas Springs
 LED Counter Lights

- LED Courtesy Lights

- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- **Boat Cover**
- Console Cover
- Lifting Harness
- Teak Floor

- CD/Radio System
- Compass
- GPS
- VHF Package
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)





nautilus

12 DLX

Luxury Console Tenders

YAMAHA

Removable Lateral Seat

				and the second		A CONTRACT OF A CONTRACT.	
	Overal Length	:	12′/ 3.66m	Number of Chambers	: 3	Shaft Length	: 20″/ 50.8cm
S	Overal Beam	:	6′/ 1.82m	Person Capacity	: 5	Gas Built in Tank	: 13 Gal / 49 L
Э	Inside Length	:	9´2″/ 2.79m	Weight	: 515lb / 234kg	RDC Design Category	: C
S P	Inside Beam	:	2´10"/ 0.86m	Recommended HP	: 40hp / 29.8kw		
	Tube Diameter	:	17″/ 0.43m	Maximum HP	: 50hp/37.3kw		

Maintenance Kit Owner's Manual Fully Upholstered Seating - Spradling

Hand Pump

Hull Drain with Plug Bow Locker/Seat

Bow Lecker/Seat Bow Hatch Cushion Built-In Cooler with Cushion Console Front Access Lid

Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights

360° White Anchor Light Pole
 Integrated Stainless Steel Bow Port & Starboard Hand Rails
 Ample Stern Platform with SS Retracting Cleats

ΔS

പ ന

Чĸ

 $\Box \Box$

 $> \vdash$

∢∢

ーш

sг

<u>ہ ب</u>

∢ш

Zĸ

o⊃

F

- ⊲

ு ய

Оц

- Removable Lateral Seat Height Adjustable Steering Wheel Hand Laid Fiberglass Deep "/" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank Plastic External Transom Plate Aluminum Internal Transom Plate Splash well, Draining Push Push Plastic Non-Corrosive 2 Stage Inflation Valves One All Integrated Deck with Bow Front & Lateral Cushions Solid Single Rub Rail Orca (CSM) Five Layer Coated Fabric

- Sonta Single Rub Raif Orca (CSM) Five Layer Coated Fabric Sporty Console Look Design with SS Hand Rail Plexiglass Windshield Stainless Steel Rear Seat Port/Starboard Hand Rail 1 SS Cup Holder
- - Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor

- 3 Stainless Steel Davit Lifting Points Stainless Steel Tie Down & Towing Rings Stainless Steel Transom Tie Down & Towing Rings Stainless Steel Bow Eye
- Luxury Look Pannel
- 4 Waterproof Rocker Switches with Circuit Brakers Battery Box Battery Switch Fuel and Water Separator Filter
- Port Boat Entrance Stearing sprading Port Boat Entrance Step with Diamond Non-Skid Shape Integrated Fiberglass Console with Forward & Lateral Seat & Cushion Molded-In Stern Seat & Cushion with Armrest & Large Storage 4 Deck Drains

 - Fuel Sending Unit Automatic Bilge Pump 500 GPH
- Automatic Bige Pullip 500 GPH Battery Charger (Subject to Country of Delivery) Mechanical Steering System Stainless Steel Steering Wheel Complete Tin Wiring & Heat Shrink Seal Terminals 3 Layer Reinforced Seams Stainless Steel Gas Springs
 - LED Courtesy Lights
 - CD/Radio System
 - Compass
 - GPS
 - VHF Package
 - Stainless Steel Ski Tow
 - Custom Tube Color (Per Availability)





13 DLX

Luxury Console Tenders



	Overal Length	: 13′/ 3.96m	Number of Chambers		Shaft Length	: 20″ / 50.8cm
S	Overal Beam	: 6′5″/ 1.95m	Person Capacity	: 5	Gas Built in Tank	:15 Gal / 57 L
Ш	Inside Length	: 9′9″/ 2.97m	Weight	: 612lb / 278kg	RDC Design Category	: C
S P	Inside Beam	: 3′1″/ 0.94m	Recommended HP	: 40hp / 29.8kw		
	Tube Diameter	: 18"/ 0.46m	Maximum HP	: 60hp/44.8kw		

		Maximum / 44.8KW	
S T A N D A R D F E A T U R E S	 Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank Plastic External Transom Plate Aluminum Internal Transom Plate Splash well, Draining One All Integrated Deck with Bow Front & Lateral Cushions Solid Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Sporty Console Look Design with SS Hand Rail Plexiglass Windshield Stainless Steel Rear Seat Port/Starboard Hand Rail 1 SS Cup Holder Hand Pump Maintenance Kit 	 Owner's Manual Fully Upholstered Seating - Spradling * Port Boat Entrance Step with Diamond Non-Skid Shape Integrated Fiberglass Console with Forward & Lateral Seat & Cushion Molded-In Stern Seat & Cushion with Armrest & Large Storage 4 Deck Drains Hull Drain with Plug Bow Locker/Seat Bow Hatch Cushion Console Front Access Lid Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights 360° White Anchor Light Pole Integrated Stainless Steel Bow Port & Starboard Hand Rails Ample Stern Platform with SS Retracting Cleats 3 Stainless Steel Tie Down & Towing Rings 	 Stainless Steel Bow Eye Stainless Steel Transom Tie Down & Towing Rings Luxury Look Pannel 4 Waterproof Rocker Switches with Circuit Brakers Battery Box Battery Switch Fuel and Water Separator Filter Fuel Sending Unit Automatic Bilge Pump 500 GPH Battery Charger (Subject to Country of Delivery) Mechanical Steering System Stainless Steel Steering Wheel Complete Tin Wiring & Heat Shrink Seal Terminals 3 Layer Reinforced Seams Stainless Steel Gas Springs LED Courtesy Lights

- Stainless Steel Light Arch
- Bimini Top

ш

Ж

∢

ு ய

Оц

- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor

- CD/Radio System
- Compass
- GPS
- VHF Package
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)





14DLX

Luxury Console Tenders



	Overal Length	:	14′/ 4.27m	Number of Chambers	:	5	Shaft Length	:20″/50.8cm
S	Overal Beam	:	6´6″/ 1.98m	Person Capacity	:	6	Gas Built in Tank	:21 Gal / 78 L
Э	Inside Length	:	10´10"/ 3.30m	Weight	:	730lb / 332kg	Water Built in Tank	: 9 Gal / 34 L
S P	Inside Beam	:	3´1″/ 0.94m	Recommended HP	:	50hp / 37.3kw	RDC Design Category	: C
	Tube Diameter	:	19"/ 0.48m	Maximum HP	:	70hp / 52.2kw		

	Hand Laid Fiberglass Deep "V" Hull
	Stringer System Laminated into Hull
	Diamond Shape Non-skid Deck
\sim	Integrated Marine Crade Aluminum Fuel Ta

- Marine Grade Aluminum Water Tank with Pump and Shower
- Plastic External Transom Plate Aluminum Internal Transom Plate
- Auminum Internal Transom Plate Splash well, Draining One All Integrated Deck with Bow Front & Lateral Cushions Solid Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Hand Pump Muinterprese Kit

Δ

сυ

ЧЧ

 \Box \Box

z⊢

∢∢

μш

SΨ

νL

ЧШ Zĸ

0⊃

 $\vdash \triangleleft$

ு ய Ош

- Maintenance Kit
- Owner's Manual Sporty Console Look Design with SS Hand Rail Plexiglass Windshield
- 4 SS Cup Holders
- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor

- Stainless Steel Transom Tie Down & Towing Rings
 6 Waterproof Rocker Switches with Circuit Brakers
 Battery Box
 Battery Switch
 Fuel and Water Separator Filter
 Fuel Sending Unit
 Automatic Bilge Pump 500 GPH
 Battery Charger (Subject to Country of Delivery)
 Hydraulic Steering System
 Stainless Steel Steering Wheel
 Complete Tin Wiring & Heat Shrink Seal Terminals
 3 Layer Reinforced Seams
 Stainless Steel Gas Springs
 LED Courtey Lights nless Steel Transom Tie Down & Towing Rings
- Integrated Fiberglass Console with Forward & Lateral Seat & Cushion Molded-In Stern Seat & Cushion with Armrest & Large Storage
- Built-In Cooler with Cushion Console Front Access Lid Console Front Access Lid
 Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights
 360° White LED Anchor Light Pole
 Integrated Stainless Steel Bow Port & Starboard Hand Rails
 Ample Stern Platform with SS Retracting Cleats
 3 Stainless Steel Davit Lifting Points
 Stainless Steel Tie Down & Towing Rings
 Stainless Steel Bow Eye

less Steel Rear Seat Port/Starboard Hand Rail

Fully Upholstered Seating - Spradling * Port Boat Entrance Step with Diamond Non-Skid Shape

4 Deck Drains Hull Drain with Plug Bow Locker/Seat Bow Hatch Cushion

- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)





15DLX

Luxury ConsoleTenders

1. 3V 4 6

Ser.

OPTIONAL SUNBED

SE

ΩS

счш

z⊢

×٩

μш

νг

പഗ

∢ш

Zĸ

 $\circ \supset$

- I-

⊢∢

ு ய

Ош

Overal Length : 15′/4.57m S **Overal Beam** : 6'9"/ 2.05m J ш Inside Length : 11′6″/ 3.50m م : 3′2″/ 0.97m Inside Beam S Tube Diameter : 19"/ 0.48m

Number of Chambers	; :	5	Shaft Length	:20″ / 50.8cm
Person Capacity	:	6	Gas Built in Tank	:27 Gal / 102 L
Weight	:	766lb / 348kg	Water Built in Tank	: 12 Gal / 45 L
Recommended HP	:	60hp / 44.8kw	RDC Design Category	: C
Maximum HP	:	70hp / 52.2kw		

- 4 X $\Box \Box$
- Hand Laid Fiberglass Deep" V " Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade A luminum Fuel Tank Marine Grade A luminum Water Tank with Pump and Shower Plastic External TransomPlate A luminum Internal TransomPlate Splash well, D raining One All Integrated Deck with B ow Front & L ateral Cushions Solid Double Rub Rail Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Hand Pump

Bow Sunbathing Bed

Stainless Steel Light Arch

- Hand Pump Maintenarce Kit Owner's Manual
- Sporty Console Look Design with SS Hand Rail Plexiglass Windshield
- 3 SS Cup Holders

Bimini Top

Chock Set

Boat Cover

Teak Floor

ConsoleCover

Lifting Harness

Stainless Steel Rear Seat Port/Starboard Hand Rail

- Stainless Steel Real Seat Portstarboard name Kan Fully Upholstered Seating Spradling * Port Boat Entrance Step with Diamond Non-Skid Shape Integrated Fiberglass Console withForward Seat & Cushion Molded-In Stern Seat & Cushion withArmrest & La rge Storage
- 4 Deck Drains 4 Deck Drains Hull D rain with Plug Bow Locker/Seat Bow Hatch Cushion

- Bow Hatch Cushion Buil FIn Cooler with Cushion Console Front Access Lid Bow Step with Fold Down Stainless Steel Cleat & LED N avigation Lights 360° White LED Anchor Light Pole Integrated Stainless Steel Bow Port & Starboard Hand Rails Ample Stern Platform with SS Retracting Cleats 3 Stainless Steel Davit Li fting Points Stainless Steel Tie Down & Towing Rings Stainless Ford Row Even

- Stainless Steel Bow Eye

CD/Radio System

LED Courtesy Lights

Compass

- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)

Stainless Steel TransomTie Down & Towing Rings 6 Waterproof Rocker Switches with Circuit Brakers

Fuel andWater Separator Filter Fuel Sending Unit Automatic Bilge Pump 500 GPH Battery Charger (Subject to Country of Delivery) Hydraulic Steering System Stainless Steel Steering Wheel Complete Tin Wiring & He at Shrink Seal Terminals 3 Layer Reinforced Seams Stainless Steel Gas Springs

Battery Box
 Battery Switch
 Fuel and Water Separator Filter



17DLX

Luxury Console Tenders



	Overal Length	:	17′/ 5.18m	Number of Chambers	:	5	Shaft Length	:20″/50.8cm
ہ ر	Overal Beam	:	8´1″/ 2.46m	Person Capacity	:	10	Gas Built in Tank	: 33 Gal / 125 L
ц	Inside Length	:	13´1"/ 4.00m	Weight	:	1250lb / 568kg	Water Built in Tank	: 10 Gal / 38 L
ጉ	Inside Beam	:	4′5″/ 1.35m	Recommended HP	:	90hp / 67.1kw	RDC Design Category	: C
	Tube Diameter	:	20″/ 0.51m	Maximum HP	:	115hp / 85.8kw		

2 SS Cup Holders

Bow Locker/Seat Bow Hatch Cushion

	Hand Laid Fiberglass Deep "V" Hull
	Stringer System Laminated into Hull

- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank Marine Grade Aluminum Water Tank with Pump and Shower
- Marine Grade Aluminum Water Tank with Pump and Showe Plastic External Transom Plate Aluminum Internal Transom Plate Bow Rider Seating Style Splash well, Draining One All Integrated Deck with Bow Front & Lateral Cushions Solid Double Rub Rail

- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric
- Hand Pump Maintenance Kit

۵

DS

сυ

A R $\Box \supset$

z⊢

⋖⋖

⊢ш

νг

<u>ہ ר</u>

∢ш

Zĸ

0⊃

_⊢

⊢∢

പപ Оц

- Owner's Manual Sporty Console Look Design with SS Hand Rail Plexiglass Windshield
- Stainless Steel Light Arch
- Bimini Top
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor

- 3 Stainless Steel Davit Lifting Points
 Stainless Steel Tie Down & Towing Rings
 Stainless Steel Bow Eye
 Stainless Steel Transom Tie Down & Towing Rings
 6 Waterproof Rocker Switches with Circuit Brakers
 Battery Box
 Battery Switch
 Fuel and Water Separator Filter
 Fuel Sending Unit
 Automatic Bilge Pump 750 GPH
 Battery Charger (Subject to Country of Delivery)
 Hydraulic Steering System with Height Adjustable Steering Whee
 Stainless Steel Steen y Heat Shrink Seal Terminals

- Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights 360° White LED Anchor Light Pole Integrated Stainless Steel Bow Port & Starboard Hand Rails Ample Stern Platform with SS Retracting Cleats

2 SS Cup Holder's Recessed SS Ladder Stainless Steel Rear Seat Port/Starboard Hand Rail Fully Upholstered Seating - Spradling [®] Port Boat Entrance Step with Diamond Non-Skid Shape

Port Boat Entrance Step with Diamond Non-Skid Shape Bow Sunbathing Bed Integrated Fiberglass Console Molded-In Stern Seat & Cushion with Armrest & Large Storage 2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion 2 Deck Drains Hull Drain with Plug

- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow
- Custom Tube Color (Per Availability)



- Complete Tin Wiring & Heat Shrink Seal Terminals
 Complete Tin Wiring & Heat Shrink Seal Terminals
 Stainless Steel Gas Springs
 LED Courtesy Lights



19DLX

Luxury Console Tenders



	Overal Length	:	19′/ 5.79m	Number of Chambers	; :	5	Shaft Length	:25″/63.5cm
S	Overal Beam	:	8′4″/ 2.54m	Person Capacity	:	12	Gas Built in Tank	: 67 Gal / 254 L
ш	Inside Length	:	15´4″/ 4.67m	Weight	:	1639lb / 745kg	Water Built in Tank	: 20 Gal / 76 L
S P	Inside Beam	:	4′5″/ 1.35m	Recommended HP	:	115hp / 85.8kw	RDC Design Category	: C
	Tube Diameter	:	22"/ 0.56m	Maximum HP	:	150hp /111.9kw		

	🗖 Lean On	Owner's Manual	
		Fiberglass Console with Forward Seat & Cushion	
	Stringer System Laminated into Hull	Fully Upholstered Seating - Spradling [®]	
ΟS	Diamond Shape Non-skid Deck	Port Boat Entrance Step with Diamond Non-Skid Shape	
ωш	Self Bailing Deck	Bow Sunbathing Bed	
	Integrated Marine Grade Aluminum Fuel Tank	Integrated Fiberglass Console	
A R	Marine Grade Aluminum Water Tank with Pump and Shower	Molded-In Stern Seat & Cushion with Armrest & Large Storage	
	Plastic External Transom Plate	2 Port, 2 Starboard Seat with Coolers and/or Locker with Cushion	
	Aluminum Internal Transom Plate	2 Deck Drains	
Z⊢	Bow Rider Seating Style	Hull Drain with Plug	
	Splash well, Draining	Bow Locker/Seat	
$\triangleleft \triangleleft$	One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions	Bow Hatch Cushion	
н ш	2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes	Console Front Access Lid	
	Raised Double Rub Rail	Bow Step with Fold Down Stainless Steel Cleat & LED Navigation Lights	
ΝЩ	Push Push Plastic Non-Corrosive 2 Stage Inflation Valves	360° LED White Anchor Light Pole	
	Orca (CSM) Five Layer Coated Fabric	Integrated Stainless Steel Bow Port & Starboard Hand Rails	
	Hand Pump	Lateral Fold Down Stainless Steel Cleat	
	Maintenance Kit	3 Stainless Steel Davit Lifting Points	

- Stainless Steel Light Arch
 Transom Ladder
 Bimini Top
 - Chock Set

N L

×ш

Zœ

0⊃

പപ

Оц

∢

- Boat Cover
- Console Cover
- Lifting Harness

- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow





19DLX - I/O* Luxury Console Tenders



is the second	ALT D CONTRACTOR	12.99		A STATE OF A		AR OF MERINA PARTY AND A DECK	and the second sec
	Overal Length	:	19′/ 5.79m	Number of Chambers	: 5	Shaft Length	: I/O - Jet
S	Overal Beam	:	8′4″/ 2.54m	Person Capacity	: 10	Gas Built in Tank	: 67 Gal / 254 L
ш	Inside Length	:	15′4″/ 4.67m	Weight	: 1551lb / 705kg	Water Built in Tank	: 20 Gal / 76 L
S P	Inside Beam	:	4′5″/ 1.35m	Recommended HP	: 150hp / 111.9kw	RDC Design Category	: С
	Tube Diameter	:	22″/ 0.56m	Maximum HP	:220hp /264.1kw		

	Tube Diameter:22"/ 0.56mN	/laximum HP	:220hp /264.1kw	
FEATURES	 Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Self Bailing Deck Integrated Marine Grade Aluminum Fuel Tank Marine Grade Aluminum Water Tank with Pump and Shower Transom Swim Plataform Bow Rider Seating Style One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions 2 Front & 2 Side Orca (CSM) Fabric Handles on Tubes Raised Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Hand Pump Maintenance Kit Owner's Manual 	 2 Port, 2 Starboard Seat wit 2 Deck Drains Hull Drain with Plug Bow Locker/Seat Bow Hatch Cushion Console Front Access Lid Bow Step with Fold Down Sta 360° LED White Light Navig 	th Diamond Non-Skid Shape ole hion with Armrest & Large Storage h Coolers and/or Locker with Cushion sinless Steel Cleat & LED Running Lights lation Pole ow Port & Starboard Hand Rails ; Steel Cleat	 Stainless Steel Console Grab Handle Stainless Steel Tie Down & Towing Rings Stainless Steel Bow Eye Stainless Steel Transom Tie Down & Towing Rings Luxury Look Pannel 6 Waterproof Rocker Switches with Circuit Brakers Battery Box Battery Switch Fuel and Water Separator Filter Sending Unit Automatic Bilge Pump 750 GPH Battery Charger Hydraulic Steering System with Height Adjustable Steering Wheel Stainless Steel Steering Wheel with Knob Complete Tin Wiring & Heat Shrink Seal Terminals 4 Layer Reinforced Seams Stainless Steel Gas Springs LED Courtesy Lights

- <u>ہ ר</u> ⊲ ш Zœ o⊃

. ⊲

പപ

Ош

DARD

z ∢

⊢ш ΥL

- Chock Set
- Boat Cover

Bimini Top

Console Cover

Stainless Steel Light Arch

Transom Ladder

Lifting Harness

- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders
- Stainless Steel Ski Tow

