

oceanus

11VST

Fiberglass Console Tenders



S P E C S	Overall Length	: 11' / 3.35m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
	Overall Beam	: 5'8" / 1.73m	Person Capacity	: 5	Gas Built in Tank	: 10 Gal / 38 L
	Inside Length	: 8'1" / 2.47m	Weight	: 370lb / 168kg	RDC Design Category : C	
	Inside Beam	: 2'9" / 0.84m	Recommended HP	: 30hp / 22.4kw		
	Tube Diameter	: 17" / 0.43m	Maximum HP	: 40hp / 29.8kw		

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none">Hand Laid Fiberglass Deep "V" HullStringer System Laminated into HullDiamond Shape Non-skid DeckIntegrated Marine Grade Aluminum Fuel TankPlastic External Transom PlateAluminum Internal Transom PlateSplash well, Draining1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes2 Inside Bow Orca (CSM) Fabric Handles on Tubes2 Stainless Steel Bow Handles on TubesDouble Rub RailPush Push Plastic Non-Corrosive 2 Stage Inflation ValvesOrca (CSM) Five Layer Coated FabricHand PumpMaintenance Kit	<ul style="list-style-type: none">Owner's ManualClosed Cell Foam UpholsteryFiberglass ConsoleIntegrated Stern Seat with Storage2 Deck Drain & Hull Drain with PlugBow Locker/SeatBow Hatch CushionConsole Front Access LidBow Step with Fold Down Stainless Steel Cleat & LED Running Lights360° LED White Light Navigation PoleStainless Steel Grab Handles on TubesLateral Fold Down Stainless Steel Cleat4 Stainless Steel Davit Lifting PointsStainless Steel Bow EyeStainless Steel Tow Rings & Tie DownsStainless Steel Console Grab Rail	<ul style="list-style-type: none">Plexiglass WindshieldLuxury Look Pannel4 Waterproof Rocker Switches with Circuit BrakersBattery BoxBattery SwitchFuel and Water Separator FilterSending UnitAutomatic Bilge Pump 500 GPHMechanical Steering SystemStainless Steel Steering WheelComplete Tin Wiring & Heat Shrink Sealed Terminals3 Layer Reinforced SeamsStainless Steel Gas Springs

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none">Stainless Steel Light ArchBimini Top with Stainless Steel TubingChock SetBoat CoverConsole Cover	<ul style="list-style-type: none">Lifting HarnessTeak FloorCD/Radio SystemCompassGPSVHF Package

oceanus

12VST

Fiberglass Console Tenders



S P E C S	Overall Length	: 12' / 3.66m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
	Overall Beam	: 6'1" / 1.86m	Person Capacity	: 6	Gas Built in Tank	: 10 Gal / 38 L
	Inside Length	: 9'2" / 2.79m	Weight	: 405lb / 184kg	RDC Design Category : C	
	Inside Beam	: 2'10" / 0.86m	Recommended HP	: 40hp / 29.8kw		
	Tube Diameter	: 18" / 0.46m	Maximum HP	: 50hp / 37.3kw		

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none">■ Hand Laid Fiberglass Deep "V" Hull■ Stringer System Laminated into Hull■ Diamond Shape Non-skid Deck■ Integrated Marine Grade Aluminum Fuel Tank■ Plastic External Transom Plate■ Aluminum Internal Transom Plate■ Splash well, Draining■ 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes■ 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes■ 2 Inside Bow Orca (CSM) Fabric Handles on Tubes■ 2 Stainless Steel Bow Handles on Tubes■ Double Rub Rail■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves■ Orca (CSM) Five Layer Coated Fabric■ Hand Pump■ Maintenance Kit	<ul style="list-style-type: none">■ Owner's Manual■ Closed Cell Foam Upholstery■ Fiberglass Console■ Integrated Stern Seat with Storage■ 2 Deck Drain & Hull Drain with Plug■ Bow Locker/Seat■ Bow Hatch Cushion■ Console Front Access Lid■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights■ 360° LED White Light Navigation Pole■ Stainless Steel Grab Handles on Tubes■ Lateral Fold Down Stainless Steel Cleat■ 4 Stainless Steel Davit Lifting Points■ Stainless Steel Bow Eye■ Stainless Steel Tow Rings & Tie Downs■ Stainless Steel Console Grab Rail	<ul style="list-style-type: none">■ Plexiglass Windshield■ Luxury Look Pannel■ 4 Waterproof Rocker Switches with Circuit Brakers■ Battery Box■ Battery Switch■ Fuel and Water Separator Filter■ Sending Unit■ Automatic Bilge Pump 500 GPH■ Mechanical Steering System■ Stainless Steel Steering Wheel■ Complete Tin Wiring & Heat Shrink Sealed Terminals■ 3 Layer Reinforced Seams■ Stainless Steel Gas Springs

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none">■ Stainless Steel Light Arch■ Bimini Top with Stainless Steel Tubing■ Chock Set■ Boat Cover■ Console Cover	<ul style="list-style-type: none">■ Lifting Harness■ Teak Floor■ CD/Radio System■ Compass■ GPS■ VHF Package





A B I N F L A T A B L E S

oceanus

13VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 13' / 3.96m	Number of Chambers	: 3	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6'4" / 1.93m	Person Capacity	: 7	Gas Built in Tank	: 14 Gal / 53 L
Inside Length	: 9'9" / 2.97m	Weight	: 477lb / 217kg	RDC Design Category	: C
Inside Beam	: 3'1" / 0.94m	Recommended HP	: 40hp / 29.8kw		
Tube Diameter	: 18" / 0.46m	Maximum HP	: 60hp / 44.8kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
 - Stringer System Laminated into Hull
 - Diamond Shape Non-skid Deck
 - Integrated Marine Grade Aluminum Fuel Tank
 - Plastic External Transom Plate
 - Aluminum Internal Transom Plate
 - Splash well, Draining
 - 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
 - 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
 - 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
 - 2 Stainless Steel Bow Handles on Tubes
 - Raised Double Rub Rail
 - Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
 - Orca (CSM) Five Layer Coated Fabric
 - Hand Pump
 - Maintenance Kit
- Owner's Manual
 - Closed Cell Foam Upholstery
 - Fiberglass Console with Forward Seat & Cushion
 - Integrated Stern Seat with Storage
 - 2 Deck Drain & Hull Drain with Plug
 - Bow Locker/Seat
 - Bow Hatch Cushion
 - Console Front Access Lid
 - Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
 - 360° LED White Light Navigation Pole
 - Stainless Steel Grab Handles on Tubes
 - Lateral Fold Down Stainless Steel Cleat
 - 4 Stainless Steel Davit Lifting Points
 - Stainless Steel Bow Eye
 - Stainless Steel Tow Rings & Tie Downs
 - Stainless Steel Console Grab Rail
- Plexiglass Windshield
 - Luxury Look Pannel
 - 4 Waterproof Rocker Switches with Circuit Brakers
 - Battery Box
 - Battery Switch
 - Fuel and Water Separator Filter
 - Sending Unit
 - Automatic Bilge Pump 500 GPH
 - Mechanical Steering System
 - Stainless Steel Steering Wheel
 - Complete Tin Wiring & Heat Shrink Sealed Terminals
 - 3 Layer Reinforced Seams
 - Stainless Steel Gas Springs

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
 - Bimini Top with Stainless Steel Tubing
 - Chock Set
 - Boat Cover
 - Console Cover
- Lifting Harness
 - Teak Floor
 - CD/Radio System
 - Compass
 - GPS
 - VHF Package





A B I N F L A T A B L E S

oceanus

14VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 14' / 4.27m	Number of Chambers	: 5	Shaft Length	: 20" / 50.8cm
Overall Beam	: 6'5" / 1.96m	Person Capacity	: 8	Gas Built in Tank	: 14 Gal / 53 L
Inside Length	: 10'10" / 3.30m	Weight	: 510lb / 232kg	RDC Design Category	: C
Inside Beam	: 3'1" / 0.94m	Recommended HP	: 50hp / 37.3kw		
Tube Diameter	: 19" / 0.48m	Maximum HP	: 70hp / 52.2kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
 - Stringer System Laminated into Hull
 - Diamond Shape Non-skid Deck
 - Integrated Marine Grade Aluminum Fuel Tank
 - Plastic External Transom Plate
 - Aluminum Internal Transom Plate
 - Splash well, Draining
 - 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
 - 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
 - 1 Port Inside Transom Sets of 2 Orca (CSM) Fabric Handles on Tubes
 - 2 Stainless Steel Bow Handles on Tubes
 - Raised Double Rub Rail
 - Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
 - Orca (CSM) Five Layer Coated Fabric
 - Hand Pump
 - Maintenance Kit
- Owner's Manual
 - Closed Cell Foam Upholstery
 - Fiberglass Console with Forward Seat & Cushion
 - Integrated Stern Seat with Storage
 - 2 Deck Drain & Hull Drain with Plug
 - Bow Locker/Seat
 - Bow Hatch Cushion
 - Console Front Access Lid
 - Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
 - 360° LED White Light Navigation Pole
 - Stainless Steel Grab Handles on Tubes
 - Lateral Fold Down Stainless Steel Cleat
 - 4 Stainless Steel Davit Lifting Points
 - Stainless Steel Bow Eye
 - Stainless Steel Tow Rings & Tie Downs
 - Stainless Steel Console Grab Rail
- Plexiglass Windshield
 - Luxury Look Pannel
 - 4 Waterproof Rocker Switches with Circuit Brakers
 - Battery Box
 - Battery Switch
 - Fuel and Water Separator Filter
 - Sending Unit
 - Automatic Bilge Pump 500 GPH
 - Mechanical Steering System
 - Stainless Steel Steering Wheel
 - Complete Tin Wiring & Heat Shrink Sealed Terminal
 - 3 Layer Reinforced Seams
 - Stainless Steel Gas Springs

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
 - Bimini Top with Stainless Steel Tubing
 - Chock Set
 - Boat Cover
 - Console Cover
 - Stainless Steel Ski Tow
- Lifting Harness
 - Teak Floor
 - CD/Radio System
 - Compass
 - GPS
 - VHF Package



www.abinflatables.com

oceanus

15VST

Fiberglass Console Tenders



S P E C S	Overall Length	: 15' / 4.57m	Number of Chambers	: 5	Shaft Length	: 20" / 50.8cm
	Overall Beam	: 6'6" / 1.99m	Person Capacity	: 9	Gas Built in Tank	: 25 Gal / 95 L
	Inside Length	: 11'6" / 3.50m	Weight	: 605lb / 275kg	RDC Design Category : C	
	Inside Beam	: 3'2" / 0.97m	Recommended HP	: 60hp / 44.8kw		
	Tube Diameter	: 19" / 0.48m	Maximum HP	: 75hp / 56.0kw		

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none">Hand Laid Fiberglass Deep "V" HullStringer System Laminated into HullDiamond Shape Non-skid DeckIntegrated Marine Grade Aluminum Fuel TankPlastic External Transom PlateAluminum Internal Transom PlateSplash well, Draining1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes1 Port Inside Transom Sets of 2 Orca (CSM) Fabric Handles on Tubes2 Stainless Steel Bow Handles on TubesRaised Double Rub RailPush Push Plastic Non-Corrosive 2 Stage Inflation ValvesOrca (CSM) Five Layer Coated FabricHand PumpMaintenance Kit	<ul style="list-style-type: none">Owner's ManualClosed Cell Foam UpholsteryFiberglass Console with Forward Seat & CushionIntegrated Stern Seat with Storage2 Deck Drain & Hull Drain with PlugBow Locker/SeatBow Hatch CushionConsole Front Access LidBow Step with Fold Down Stainless Steel Cleat & LED Running Lights360° LED White Light Navigation PoleStainless Steel Grab Handles on TubesLateral Fold Down Stainless Steel Cleat4 Stainless Steel Davit Lifting PointsStainless Steel Bow EyeStainless Steel Tow Rings & Tie DownsStainless Steel Console Grab Rail	<ul style="list-style-type: none">Plexiglass WindshieldLuxury Look Pannel4 Waterproof Rocker Switches with Circuit BrakersBattery BoxBattery SwitchFuel and Water Separator FilterSending UnitAutomatic Bilge Pump 500 GPHMechanical Steering SystemStainless Steel Steering WheelComplete Tin Wiring & Heat Shrink Sealed Terminals3 Layer Reinforced SeamsStainless Steel Gas Springs

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none">Stainless Steel Light ArchTransom LadderBimini Top with Stainless Steel TubingChock SetBoat CoverConsole CoverStainless Steel Ski Tow	<ul style="list-style-type: none">Lifting HarnessTeak FloorCD/Radio SystemCompassGPSVHF Package



oceanus

17VST

Fiberglass Console Tenders



SPECS

Overall Length	: 17' / 5.18m	Number of Chambers	: 5	Shaft Length	: 20" / 50.8cm
Overall Beam	: 8'1" / 2.46m	Person Capacity	: 12	Gas Built in Tank	: 33 Gal / 125 L
Inside Length	: 13'1" / 3.99m	Weight	: 1104lb / 502kg	Water Built in Tank	: 10 Gal / 381L
Inside Beam	: 4'2" / 1.27m	Recommended HP	: 90hp / 67.1kw	RDC Design Category	: C
Tube Diameter	: 20" / 0.51m	Maximum HP	: 115hp / 85.8kw		

STANDARD FEATURES

- Hand Laid Fiberglass Deep "V" Hull
 - Stringer System Laminated into Hull
 - Diamond Shape Non-skid Deck
 - Integrated Marine Grade Aluminum Fuel Tank
 - Marine Grade Aluminum Water Tank With Pump and Shower
 - Plastic External Transom Plate
 - Aluminum Internal Transom Plate
 - Splash well, Draining
 - 2 SS Drink Holders on console
 - Height Adjustable Steering Helm
 - Stern SS Grab Rails for Added Safety
 - 4 Side (CSM) Fabric Handles on Tubes
 - 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
 - 1 Port Inside Transom Set of 2 Orca (CSM) Fabric Handles on Tubes
 - 2 Stainless Steel Bow Handles on Tubes
 - Raised Double Rub Rail
 - Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
 - Hand Pump
 - Maintenance Kit
 - Owner's Manual
 - Closed Cell Foam Upholstery
 - Fiberglass Console with Forward Seat & Cushion
 - Integrated Stern Seat with Storage
 - 2 Deck Drain & Hull Drain with Plug
 - Bow Locker/Seat
 - Bow Hatch Cushion
 - Console Front Access Lid
 - Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
 - 360° LED White Light Navigation Pole
 - Stainless Steel Grab Handles on Tubes
 - Lateral Fold Down Stainless Steel Cleat
 - 3 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
 - Stainless Steel Tow Rings & Tie Downs
 - Stainless Steel Console Grab Rail
 - Plexiglass Windshield
 - Luxury Look Pannel
 - 8 Waterproof Rocker Switches with Circuit Brakers
 - Battery Box
 - Battery Switch
 - Fuel and Water Separator Filter
 - Automatic Bilge Pump 500 GPH
 - Hydraulic Steering System
 - Stainless Steel Steering Wheel with Knob
 - Complete Tin Wiring & Heat Shrink Sealed Terminals
 - 4 Layer Reinforced Seams
 - Battery Charger
 - Stainless Steel Gas Springs
 - LED Courtesy Lights

OPTIONAL FEATURES

- Stainless Steel Light Arch
 - Transom Ladder
 - Bimini Top with Stainless Steel Tubing
 - Chock Set
 - Boat Cover
 - Console Cover
 - Stainless Steel Ski Tow
- Lifting Harness
 - Teak Floor
 - CD/Radio System
 - Compass
 - GPS
 - VHF Package
 - Rod Holders





A B I N F L A T A B L E S

oceanus

19VST

Fiberglass Console Tenders



S P E C S

Overall Length	: 19' / 5.79m	Number of Chambers	: 5	Shaft Length	: 25" / 63.5cm
Overall Beam	: 8'4" / 2.53m	Person Capacity	: 15	Gas Built in Tank	: 44 Gal / 167 L
Inside Length	: 14'11" / 4.55m	Weight	: 1252lb / 569kg	Water Built in Tank	: 11 Gal / 42 L
Inside Beam	: 4'4" / 1.32m	Recommended HP	:115hp / 85.8kw	RDC Design Category	: C
Tube Diameter	: 22" / 0.56m	Maximum HP	:150hp / 111.9kw		

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
 - Stringer System Laminated into Hull
 - Diamond Shape Non-skid Deck
 - Integrated Marine Grade Aluminum Fuel Tank
 - Marine Grade Aluminum Water Tank With Pump and Shower
 - Plastic External Transom Plate
 - Aluminum Internal Transom Plate
 - Splash well, Draining
 - 2 Front & 6 Side Orca (CSM) Fabric Handles on Tubes
 - 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
 - 2 Inside Set of 2 Orca (CSM) Fabric Handles on Tubes
 - 2 Stainless Steel Bow Handles on Tubes
 - Raised Double Rub Rail
 - Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
 - Orca (CSM) Five Layer Coated Fabric
 - Hand Pump
 - Maintenance Kit
- Owner's Manual
 - Closed Cell Foam Upholstery
 - Fiberglass Console with Forward Seat & Cushion
 - Leaning Bolster
 - Integrated Stern Seat with Storage
 - 2 Deck Drain & Hull Drain with Plug
 - Bow Locker/Seat
 - Bow Hatch Cushion
 - Console Front Access Lid
 - Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
 - 360° LED White Light Navigation Pole
 - Stainless Steel Grab Handles on Tubes
 - Lateral Fold Down Stainless Steel Cleat
 - 4 Stainless Steel Davit Lifting Points
 - Stainless Steel Bow Eye
 - Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
 - Plexiglass Windshield
 - Luxury Look Pannel
 - 8 Waterproof Rocker Switches with Circuit Brakers
 - Battery Box
 - Battery Switch
 - Fuel and Water Separator Filter
 - Sending Unit
 - Automatic Bilge Pump 750 GPH
 - Hydraulic Steering System
 - Stainless Steel Steering Wheel with Knob
 - Complete Tin Wiring & Heat Shrink Sealed Terminals
 - 4 Layer Reinforced Seams
 - Battery Charger
 - Stainless Steel Gas Springs
 - LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
 - Aluminum T--Top
 - Transom Ladder
 - Bimini Top with Stainless Steel Tubing
 - Chock Set
 - Boat Cover
 - Console Cover
 - Stainless Steel Ski Tow
- Lifting Harness
 - Teak Floor
 - CD/Radio System
 - Compass
 - GPS
 - VHF Package
 - Rod Holders



w w w . a b i n f l a t a b l e s . c o m

oceanus

24VST

Fiberglass Console Tenders



S P E C S	Overall Length	: 24' / 7.31m	Number of Chambers	: 6	Shaft Length	: 25" / 63.5cm
	Overall Beam	: 9'3" / 2.82m	Person Capacity	: 20	Gas Built in Tank	: 65 Gal / 246 L
	Inside Length	: 19'3" / 5.87m	Weight	: 2213lb / 1006kg	Water Built in Tank	: 12 Gal / 45 L
	Inside Beam	: 5'4" / 1.64m	Recommended HP	: 150hp / 111.9kw	RDC Design Category	: B
	Tube Diameter	: 24" / 0.61m	Maximum HP	: 250hp / 186.5kw		

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none">■ Hand Laid Fiberglass Deep "V" Hull■ Stringer System Laminated into Hull■ Non-skid Deck■ Integrated Marine Grade Aluminum Fuel Tank■ Marine Grade Aluminum Water Tank With Pump and Shower■ Plastic External Transom Plate■ Aluminum Internal Transom Plate■ Splash well, Draining■ 2 Front & 6 Side Orca (CSM) Fabric Handles on Tubes■ 2 Bow Inside Sets of 8 Orca (CSM) Fabric Handles on Tubes■ 2 Inside Transom Sets of 5 Orca(CMS) Fabric Handles on Tubes■ Raised Double Rub Rail■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves■ Heavy Duty Orca (CSM) Five Layer Coated Fabric■ Hand Pump■ Maintenance Kit	<ul style="list-style-type: none">■ Owner's Manual■ Closed Cell Foam Upholstery■ Fiberglass Console with Forward Seat & Cushion■ Leaning Bolster■ Integrated Stern Seat with Storage■ 2 Deck Drain & Hull Drain with Plug■ Bow Locker/ Seat■ 2 Large Bow Locker/Seat Compartments with Drain■ 2 Side Bow Locker Compartments with Drain■ 2 Stern Lockers■ Console Front Access Lid■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights■ 360° LED White Light Navigation Pole■ Lateral Fold Down Stainless Steel Cleat■ Stainless Steel Bow Eye■ Stainless Steel Tow Rings & Tie Downs	<ul style="list-style-type: none">■ Stainless Steel Console Grab Rail■ Plexiglass Windshield■ Luxury Look Pannel■ 8 Waterproof Rocker Switches with Circuit Brakers■ Battery Box■ Battery Switch■ Fuel and Water Separator Filter■ Sending Unit■ Automatic Bilge Pump 750 GPH■ Hydraulic Steering System■ Stainless Steel Steering Wheel with Knob■ Complete Tin Wiring & Heat Shrink Sealed Terminals■ 4 Layer Reinforced Seams■ Bow Hatch Cushion■ Battery Charger■ Stainless Steel Gas Springs■ LED Courtesy Lights

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none">■ Stainless Steel Light Arch■ Aluminum T-Top■ Transom Ladder■ Bimini Top with Stainless Steel Tubing■ Chock Set■ Boat Cover■ Console Cover■ Stainless Steel Ski Tow	<ul style="list-style-type: none">■ Lifting Harness■ Teak Floor■ CD/Radio System■ Compass■ GPS■ VHF Package■ Rod Holders

oceanus

28VST

Fiberglass Console Tenders



S P E C S	Overall Length	: 27' 4" / 8.33m	Number of Chambers	: 6	Shaft Length	: 30" / 76.2cm
	Overall Beam	: 10' 1" / 3.07m	Person Capacity	: 25	Gas Built in Tank	: 189 Gal / 715 L
	Inside Length	: 22' 11" / 6.99m	Weight	: 2853lb / 1297kg	Water Built in Tank	: 12 Gal / 45 L
	Inside Beam	: 6' 4" / 1.93m	Recommended HP	: 250hp / 186.5kw	RDC Design Category	: B
	Tube Diameter	: 24" / 0.61m	Maximum HP	: 450hp / 335.7kw		

S T A N D A R D F E A T U R E S	<ul style="list-style-type: none">■ Hand Laid Fiberglass Deep "V" Hull■ Stringer System Laminated into Hull■ Non-skid Deck■ Integrated Marine Grade Aluminum Fuel Tank■ Marine Grade Aluminum Water Tank With Pump and Shower■ Aluminum Engine Bracket■ 2 Front Orca (CSM) Fabric Handles on Tubes■ 2 Bow Inside Sets of 10 Orca (CSM) Fabric Handles on Tubes■ 2 Inside Transom Sets of 8 Orca(CSM) Fabric Handles on Tubes■ Raised Double Rub Rail■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves■ Heavy Duty Orca (CSM) Five Layer Coated Fabric■ Hand Pump■ Maintenance Kit■ Owner's Manual■ Closed Cell Foam Upholstery	<ul style="list-style-type: none">■ Fiberglass Console with Forward Seat & Cushion■ Leaning Bolster■ Integrated Stern Seat with Storage■ 2 Deck Drain & Hull Drain with Plug■ 2 Deck Drain Scuppers & Hull Drain with Plug■ Bow Locker/Seat■ Bow Hatch Cushion■ Console Front Access Lid■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights■ 360° LED White Light Navigation Pole■ Lateral Fold Down Stainless Steel Cleat■ Stainless Steel Bow Eye■ Stainless Steel Tow Rings & Tie Downs■ Stainless Steel Console Grab Rail■ Plexiglass Windshield■ Luxury Look Pannel	<ul style="list-style-type: none">■ 8 Waterproof Rocker Switches with Circuit Brakers■ Battery Box■ Battery Switch■ Fuel and Water Separator Filter■ Sending Unit■ 2 Automatic Bilge Pump 750 GPH■ Hydraulic Steering System■ Stainless Steel Steering Wheel with Knob■ Complete Tin Wiring & Heat Shrink Sealed Terminals■ 4 Layer Reinforced Seams■ Battery Charger■ Stainless Steel Gas Springs■ LED Courtesy Lights

O P T I O N A L F E A T U R E S	<ul style="list-style-type: none">■ Aluminum T-Top■ Transom Ladder■ Chock Set■ Boat Cover■ Console Cover■ Stainless Steel Ski Tow	<ul style="list-style-type: none">■ Teak Floor■ CD/Radio System■ Compass■ GPS■ VHF Package■ Rod Holders